



**Chemical Name:** Multi-purpose Wheel Bearing Grease

**Manufacturer:** Napa

**Container size:** 14.1oz.

**Location:** VLA

**Disposal:** Place empty container in trash.

NAPA® NAPA EP WHEEL BEARING  
GREASE GREASE NP75600

<b>1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING</b>
--

Ashland	Regulatory Information Number	1-800-325-3751
P.O. Box 2219	Telephone	614-790-3333
Columbus, OH 43216	Emergency telephone number	1-800-ASHLAND (1-800-274-5263)

Product name	NAPA® NAPA EP WHEEL BEARING GREASE
Product code	NP75600
Product Use Description	No data

<b>2. HAZARDS IDENTIFICATION</b>
----------------------------------

**Emergency Overview**

Appearance: solid, amber

CAUTION! Moderate skin irritant, Moderate eye irritant.

**Potential Health Effects**

**Routes of exposure**

Skin contact

**Eye contact**

Can cause eye irritation. Symptoms include stinging, tearing, redness, and swelling of eyes.

**Skin contact**

May cause mild skin irritation. Prolonged or repeated contact may dry the skin. Symptoms may include redness, burning, drying and cracking of skin, and skin burns.

**Ingestion**

Swallowing small amounts of this material during normal handling is not likely to cause harmful effects. Swallowing large amounts may be harmful.

**Inhalation**

It is possible to breathe this material under certain conditions of handling and use (for example, during heating, spraying, or stirring). Breathing small amounts of this

NAPA® NAPA EP WHEEL BEARING  
GREASE GREASE NP75600

material during normal handling is not likely to cause harmful effects. Breathing large amounts may be harmful.

**Aggravated Medical Condition**

Preexisting disorders of the following organs (or organ systems) may be aggravated by exposure to this material: skin

**Symptoms**

Signs and symptoms of exposure to this material through breathing, swallowing, and/or passage of the material through the skin may include: stomach or intestinal upset (nausea, vomiting, diarrhea)

**Target Organs**

No data

**Carcinogenicity**

No data

**Reproductive hazard.**

No data

**Other information**

No data

<b>3. COMPOSITION/INFORMATION ON INGREDIENTS</b>
--

Components	CAS-No.	Concentration
PETROLEUM BASED GREASE		<=100%

<b>4. FIRST AID MEASURES</b>
------------------------------

**Eyes**

If symptoms develop, move individual away from exposure and into fresh air. Flush eyes gently with water while holding eyelids apart. If symptoms persist or there is any visual difficulty, seek medical attention.

**Skin**

Remove contaminated clothing. Wash exposed area with soap and water. If symptoms persist, seek medical attention. Launder clothing before reuse.

**Ingestion**

NAPA® NAPA EP WHEEL BEARING  
GREASE GREASE NP75600

Do not induce vomiting. Give one glass of milk or water, and get medical attention immediately. If possible, do not leave victim unattended.

**Inhalation**

If symptoms develop, move individual away from exposure and into fresh air. If symptoms persist, seek medical attention. If breathing is difficult, administer oxygen. Keep person warm and quiet; seek immediate medical attention.

**Notes to physician**

**Hazards:** No information available.

**Treatment:** No information available.

<b>5. FIRE-FIGHTING MEASURES</b>
----------------------------------

**Suitable extinguishing media**

carbon dioxide (CO<sub>2</sub>), dry chemical, foamcarbon dioxide (CO<sub>2</sub>), dry chemical, foam

**Hazardous combustion products**

May form:, carbon dioxide and carbon monoxide, various hydrocarbons

**Precautions for fire-fighting**

Never use welding or cutting torch on or near drum (even empty) because product (even just residue) can ignite explosively. Wear full firefighting turn-out gear (full Bunker gear), and respiratory protection (SCBA). DO NOT direct a solid stream of water or foam into hot, burning pools of liquid since this may cause frothing and increase fire intensity. Frothing can be violent and possibly endanger any firefighter standing too close to the burning liquid.

**Flammability Class for Flammable Liquids**

Combustible Liquid Class IIIB

<b>6. ACCIDENTAL RELEASE MEASURES</b>
---------------------------------------

**Personal precautions**

No data

**Environmental precautions**

No data

**Methods for cleaning up**

NAPA® NAPA EP WHEEL BEARING  
GREASE GREASE NP75600

Shovel material into containers. Thoroughly sweep area of spill to clean up any residual material.

## **7. HANDLING AND STORAGE**

### **Handling**

Containers of this material may be hazardous when emptied. Since emptied containers retain product residues (vapor, liquid, and/or solid), all hazard precautions given in the data sheet must be observed.

### **Storage**

No data

## **8. EXPOSURE CONTROLS / PERSONAL PROTECTION**

### **Exposure Guidelines**

#### **General advice**

These recommendations provide general guidance for handling this product. Personal protective equipment should be selected for individual applications and should consider factors which affect exposure potential, such as handling practices, chemical concentrations and ventilation. It is ultimately the responsibility of the employer to follow regulatory guidelines established by local authorities.

#### **Exposure controls**

Provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below TLV(s).

#### **Eye protection**

Wear safety glasses in compliance with OSHA regulations. (Consult your safety representative.)

#### **Skin and body protection**

Wear normal work clothing covering arms and legs. Wear resistant gloves such as: Neoprene

#### **Respiratory protection**

If workplace exposure limit(s) of product or any component is exceeded (see exposure guidelines), a NIOSH-approved air supplied respirator is advised in absence of proper environmental control. OSHA regulations also permit other NIOSH respirators

NAPA® NAPA EP WHEEL BEARING  
GREASE GREASE NP75600

(negative pressure type) under specified conditions (see your industrial hygienist).  
Engineering or administrative controls should be implemented to reduce exposure.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

<b>Physical state</b>	solid
<b>Form</b>	Semisolid, gel,
<b>Colour</b>	amber
<b>Odour</b>	No data
<b>Boiling point/range</b>	700.0 °F / 371.1 °C
<b>pH</b>	No data
<b>Flash point</b>	450 °F / 232 °C
<b>Evaporation rate</b>	No data
<b>Explosion limits</b>	No data
<b>Vapour pressure</b>	No data
<b>Vapour density</b>	No data
<b>Density</b>	0.95 g/cm <sup>3</sup> @ 60.1 °F / 15.6 °C
	No data
<b>Solubility</b>	No data
<b>Partition coefficient (n-octanol/water)</b>	No data
<b>Autoignition temperature</b>	No data

**10. STABILITY AND REACTIVITY**

**Stability**  
Stable

**Conditions to avoid**  
None known.

**Incompatible products**  
Avoid contact with:, strong oxidizing agents

**Hazardous decomposition products**  
May form:, carbon dioxide and carbon monoxide, various hydrocarbons

**Hazardous reactions**  
Product will not undergo hazardous polymerization.

NAPA® NAPA EP WHEEL BEARING  
GREASE GREASE NP75600

**Thermal decomposition**

No data

**11. TOXICOLOGICAL INFORMATION**

**Acute oral toxicity**

**Acute inhalation toxicity**

**Acute dermal toxicity**

**12. ECOLOGICAL INFORMATION**

**Aquatic toxicity**

**Acute and Prolonged Toxicity to Fish**

No data

**Acute Toxicity to Aquatic Invertebrates**

No data

**Environmental fate and pathways**

No data

**13. DISPOSAL CONSIDERATIONS**

**Waste disposal methods**

Dispose of in accordance with all applicable local, state and federal regulations.

**14. TRANSPORT INFORMATION**

Dangerous goods descriptions may not reflect package size, quantity, end-use or region-specific exceptions that can be applied to shipments. Consult shipping documents for material-specific descriptions.

**15. REGULATORY INFORMATION**

**California Prop. 65**

# ASHLAND

## SAFETY DATA SHEET

NAPA® NAPA EP WHEEL BEARING  
GREASE GREASE NP75600

Page: 7  
Revision Date: 02/21/2007  
Print Date: 1/2/2008  
MSDS Number: R0172170  
Version: 1.4

**SARA Hazard Classification**    Acute Health Hazard

### SARA 313 Component(s)

**OSHA Hazards**                      Moderate skin irritant  
   Moderate eye irritant

	<b>Health</b>	<b>Flammability</b>	<b>Reactivity</b>	<b>Other</b>
<b>HMIS</b>				No data
<b>NFPA</b>	1	1	1	

### 16. OTHER INFORMATION

The information accumulated herein is believed to be accurate but is not warranted to be whether originating with the company or not. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances.

This MSDS has been prepared by Ashland's Environmental Health and Safety Department (1-800-325-3751).