1. PRODUCT AND COMPANY IDENT	MSDS Numbe Version Date:				
Product Name: JET SPRAY, GUMOUT CAR	BURETOR AN	D CHOKE CLEAN	ER	//0/2001	
Product Use: Carb and choke cleaner					
Synonyms: STOCK #7450, STOCK #7440, ST	OCK #7460, JE	T SPRAY			
Manufacturer	Phone Num	hers			
Pennzoil-Quaker State Company	a mone i (dinoti)				
P.O. Box 2967	Transport	ation Emergency (USA): 1-800-535	-5053	
Houston, TX 77252-2967	Transporta	ation Emergency (1	International):	-3033	
USA		1-352-323-3500	(Call Collect)		
	MSDS Assi	istance: 1-800-546-	6227		
		mand: 1-800-546-6			
	Technical A	Assistance: 1-800-4	58-4998		
	Customer S	Service: 1-800-468-			
	Fax Numb	er: 713-217-3181			
	Internet A	ddress: www.MSD	S.PZLQS.com		
2 COMPONENT INFORMATION					
2. COMPONENT INFORMATION			100		
Component	CAS No.	Weight Percent	Hazardous		
•		Range	in Blend		
LIGHT AROMATIC SOLVENT NAPHTHA	64742-95-6	30 - 50	Yes		
HYDROTREATED LIGHT DISTILLATE	64742-47-8	10 - 30	No		
METHYL ETHYL KETONE	78-93-3	1 - 7	Yes		
ISOPROPYL ALCOHOL	67-63-0	1 - 7	Yes		
PROPANE	74-98-6	15 - 25	Yes		
SURFACTANTS	MIXTURE	< 1	No		
This product is HAZARDOUS according to OSI	IA 20 CED 1010	1200			
Hazards:	1A 29 CFR 1910	J.1200.			
Zertrado Descrito parece suda escritor escrito	X Chronic	Toxin X Car	oinogon		
		et Organ X Oth			
Exposure Em	In A Targe	Torgan A Oth			
Other: No information available					
.HAZARDS IDENTIFICATION				_	
Emergency and Hazards Overview					
DANGER: EXTREMELY FLAMMABLE. CON	TENTS UNDER	R PRESSURE. HA	RMFUL OR FAT	`AL	
F SWALLOWED. VAPOR HARMFUL.	*				
TIDA D. C. S.	y sr <u>a</u> d somitor				
FPA Ratings: Health 2 Flammabilit	ty3 Reac	tivity 0			

Health Effect Information

Primary Route of Exposure:

Eye Contact: Avoid eye contact. This product has not been tested for acute eye hazards. May be irritating to the eyes upon direct contact. Exposure to mists and vapors may be irritating to the eyes. These effects are transient, and complete recovery follows.

Skin ___ Inhalation X Eye ___

Skin Contact: This product may cause slight skin irritation upon direct contact. Prolonged or repeated skin contact may result in dryness, chapping, and reddening.

MSDS Number: 951

JET SPRAY, GUMOUT CARBURETOR AND CHOKE CLEANER

Page 2 of 8

Inhalation: This product is not expected to pose an inhalation hazard under conditions of foreseeable use. Caution should be taken to minimize exposure to aerosols/mists of this product. Acute and chronic overexposures may be irritating to the respiratory tract. Inhalation of high concentrations of this product can cause central nervous system depression and narcosis. Severe intoxication may lead to drowsiness, dullness, numbness, and headache followed by dizziness, weakness, and nausea. While affected, the ability to perform skilled tasks is compromised. Exposure to extremely high concentrations may have anesthetic effects but are completely reversible upon cessation of exposure. Intentional misuse by deliberately concentrating and inhaling this product can be harmful or fatal.

Ingestion: Not applicable by this route of exposure. Ingestion is unlikely for aerosol products.

Medical Conditions Aggravated by Exposure: Drying and chapping may make the skin more susceptible to other irritants, sensitizers and disease.

Other: No information available

4. FIRST AID INFORMATION

Eye Contact: Immediately flush eyes with large amounts of water and continue flushing for 15 minutes or until irritation subsides. If irritation persists, seek medical attention.

Skin Contact: Wash contaminated area thoroughly with soap and water. Use a hand or skin lotion to prevent dryness. If redness or irritation occurs and persists, seek medical attention.

Inhalation: If victim exhibits signs of vapor intoxication remove to fresh air. If discomfort persists seek medical attention. If breathing has stopped or is irregular, administer artificial respiration and supply oxygen if it is available. If victim is unconscious, remove to fresh air and seek immediate medical attention.

Ingestion: Ingestion is unlikely for aerosol products. Accidental spraying into the mouth will not result in any harmful effects. No treatment is necessary under ordinary circumstances.

Notes to Physician: No information available

Other: No information available

5. FIRE AND EXPLOSION INFORMATION

Flammable Properties

Flash Point (aerosol concentrate): No data available

Flame Extension: 36"

Flammable Limits in Air

Upper Percent: No data available Lower Percent: No data available

Autoignition Temperature: No data available

Test Method: No information available

Test Method: CPSC 1500.45

Test Method: No information available

NFPA Classification: Level 3 Aerosol (NFPA 30B)

Extinguishing Media: Use water spray (fog), dry chemical, foam, or carbon dioxide.

Fire Fighting Measures

Special Fire Fighting Procedures and Equipment: Water may be ineffective but can be used to cool containers exposed to heat or flame to prevent vapor pressure buildup and possible container rupture.

MSDS Number: 951

JET SPRAY, GUMOUT CARBURETOR AND CHOKE CLEANER

Page 3 of 8

Unusual Fire and Explosion Conditions: Caution! Contents are under pressure and can explode when exposed to heat or flames. Dense smoke may be generated while burning. Carbon monoxide, carbon dioxide, and other oxides may be generated as products of combustion.

Hazardous Combustion By-Products: No information available

Other: No information available

6. ACCIDENTAL RELEASE MEASURES

Personnel Safeguards: Remove all sources of ignition. Provide adequate ventilation to remove vapors and mists. Consult Health Effect Information in Section 3, Personal Protection Information in Section 8, Fire and Explosion Information in Section 5, and Stability and Reactivity Information in Section 10.

Regulatory Notifications: No notification required

Containment and Clean up: No special cleanup procedures are necessary.

Other: No information available

7. HANDLING AND STORAGE INFORMATION

Handling: All ignition sources in the area should be controlled. See NFPA 30B, Code for the Manufacture and Storage of Aerosol Products. Contents under pressure and can explode when exposed to heat or open flame. Caution!--Do not puncture or incinerate.

Storage: Do not store at temperatures greater than 120 F.

Empty Container Warnings

Drums: Not applicable Plastic: Not applicable

Other: No information available

8. EXPOSURE CONTROLS / PERSONAL PROTECTION INFORMATION

Exposure Limits and Guidelines

Component	CAS No.	Exposure Limit
LIGHT AROMATIC SOLVENT NAPHTHA	64742-95-6	OSHA - PEL: TWA 500 ppm ACGIH - TLV: TWA 300 ppm
METHYL ETHYL KETONE	78-93-3	OSHA - PEL: TWA 200 ppm ACGIH - TLV: TWA 200 ppm ACGIH - TLV: STEL 300 ppm
ISOPROPYL ALCOHOL	67-63-0	OSHA - PEL: TWA 400 ppm ACGIH - TLV: TWA 400 ppm ACGIH - TLV: STEL 500 ppm
PROPANE	74-98-6	OSHA - PEL: TWA 1000 ppm

Personal Protective Equipment

Eye/Face Protection: Eye protection is not required under conditions of normal use. If material is handled such that it could be sprayed into eyes, wear plastic face shield or splash-proof safety goggles.

MSDS Number: 951

JET SPRAY, GUMOUT CARBURETOR AND CHOKE CLEANER

Page 4 of 8

Skin Protection: Skin protection is not required under conditions of normal use. For prolonged or repeated exposures, use impervious clothing (boots, gloves, aprons, etc.) over parts of the body subject to exposure. Launder soiled clothes.

Respiratory Protection: Respiratory protection is not required under conditions of normal use. If excessive levels of mists or vapors are generated while using this product, use an organic vapor respirator. See Section 3, Health Effect Information, Inhalation.

Personal Hygiene: Consumption of food and beverage should be avoided in work areas where this product is present. Always wash hands and face with soap and water before eating, drinking, or smoking.

Engineering Controls / Work Practices

Ventilation: General room ventilation is normally sufficient to prevent buildup of hazardous concentrations. Providing adequate ventilation to keep exposure levels below the permissible exposure limits or flammability limits will prevent any physiological effects.

Other: No information available

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Clear straw color		
Odor: Solvent	Vapor Pressure: 48 psig @ 68 F	
Physical state: Liquid	Vapor Density (air=1): 3 - 5	
pH: No data available	Percent Volatile by Volume: < 75 %	
Boiling Point: Not applicable	Volatile Organic Content: No data available	
Melting Point: Not applicable	Molecular Weight: No data available	
Specific Gravity: 0.84 Average Carbon Number: No data average Carbon Number: No data average Carbon Number:		
Pour Point: No data available	Viscosity @ 100 F: No data available	
	Viscosity @ 40 C: No data available	
Solubility in Water: Insoluble in water, so		
Octanol / Water Coefficient: Log $K_{ow} = 1$		

10. STABILITY AND REACTIVITY INFORMATION

Chemical Stability: Stable

Conditions to Avoid: Keep away from heat, sparks, open flames and other ignition sources.

Incompatible Materials to Avoid: May react with strong oxidizing agents.

Other: No information available

11. TOXICOLOGICAL INFORMATION

Primary Eye Irritation: No information available

Primary Skin Irritation: No information available

Acute Dermal Toxicity: No information available

Subacute Dermal Toxicity: No information available

Dermal Sensitization: No information available

MSDS Number: 951

JET SPRAY, GUMOUT CARBURETOR AND CHOKE CLEANER

Inhalation Toxicity: No information available

Inhalation Sensitization: No information available

Oral Toxicity: No information available

Mutagenicity: No information available

Carcinogenicity: No information available

Reproductive and Developmental Toxicity: No information available

Teratogenicity: No information available

Immunotoxicity: No information available

Neurotoxicity: No information available

Other: No information available

12. ECOLOGICAL INFORMATION

Aquatic Toxicity: No information available

Terrestrial Toxicity: No information available

Chemical Fate and Transport: No information available

Other: No information available

13. DISPOSAL INFORMATION

Regulatory Information: Dispose of residual products and empty containers responsibly.

Waste Disposal Methods: Waste material may be landfilled or incinerated at an approved facility.

Other: No information available

14. TRANSPORTATION INFORMATION

U.S. Department of Transportation (DOT)

Highway / Rail (Bulk): NOT SHIPPED IN BULK CONTAINERS

Highway / Rail (Non-Bulk): CONSUMER COMMODITY, ORM-D

The DOT description is provided to assist in the proper shipping classification of this product and may not be suitable for all shipping descriptions.

Page 5 of 8

MSDS Number: 951

JET SPRAY, GUMOUT CARBURETOR AND CHOKE CLEANER

Page 6 of 8

Internatio	onal Information			
Vessel:	IMDG Regulated:	\mathbf{X}	IMDG Not Regulated:	
Air:	ICAO Regulated:	X	ICAO Not Regulated:	

Other: No information available

15. Regulatory Information

<u>Regulatory Lists Searched</u>: The components listed in Section 2 of this MSDS were compared to substances that appear on the following regulatory lists. Each list is numerically identified. See Regulatory Search Results below.

Health & Safety: 10 - IARC carcinogen, 11 - NTP carcinogen, 12 - OSHA carcinogen, 15 - ACGIH TLV, 16 - OSHA PEL, 17 - NIOSH exposure limit, 20 - US DOT Appendix A, Hazardous substances, 22 - FDA 21 CFR Total food additives, 23 - NFPA 49 or 325

Environmental: 30 - CAA 1990 Hazardous air pollutants, 31 - CAA Ozone depletors, 33 - CAA HON rule, 34 - CAA Toxic substance for accidental release prevention, 35 - CAA Volatile organic compounds (VOC's) in SOCMI, 41 - CERCLA / SARA Section 302 extremely hazardous substances, 42 - CERCLA / SARA Section 313 emissions reporting, 43 - CWA Hazardous substances, 44 - CWA Priority pollutants, 45 - CWA Toxic pollutants, 46 - EPA Proposed test rule for hazardous air pollutants, 47 - RCRA Basis for listing - Appendix VII, 48 - RCRA waste, 49 - SDWA - (S)MCLs

International: 50 - Canada - WHMIS Classification of substance, 54 - Mexico - Drinking water - ecological criteria, 55 - Mexico - Wastewater discharges, 56 - US -TSCA Section (12)(b) - export notification

State Lists: 60 - CA - Proposition 65, 61 - FL - Substances, 62 - MI - Critical materials, 63 - MA - RTK, 64 - MA - Extraordinarily hazardous substances, 65 - MN - Hazardous substances, 66 - PA - RTK, 67 - NJ - RTK, 68 - NJ - Environmental hazardous substances, 69 - NJ - Special hazardous substances

Inventories: 80 - Canada - Domestic substances, 81 - European - EINECS, 82 - Japan - ENCS, 83 - Korea - Existing and evaluated chemical substances, 84 - US - TSCA, 85 - China Inventory

Regulatory Search Results:

HYDROTREATED LIGHT DISTILLATE: 80, 81, 83, 84, 85

ISOPROPYL ALCOHOL: 15, 16, 17, 22, 23, 35, 42, 50, 61, 63, 65, 66, 67, 68, 69, 80, 81, 82, 83, 84, 85

LIGHT AROMATIC SOLVENT NAPHTHA: 80, 81, 83, 84, 85

METHYL ETHYL KETONE: 15, 16, 17, 20, 22, 23, 30, 33, 35, 42, 47, 48, 50, 61, 63, 65, 66, 67, 68, 69, 80, 81, 82, 83, 84, 85

DDODANTE 15 16 17 00 00 60 65 66 67 60 6

PROPANE: 15, 16, 17, 22, 23, 63, 65, 66, 67, 68, 69, 80, 81, 82, 83, 84, 85

U.S. TSCA Inventory: All components of this material are on the US TSCA Inventory.

SARA Section 313:

Chemical	CAS Number	<u>Percent in</u> <u>Product</u>
METHYL ETHYL KETONE	78-93-3	7
1,2,4-TRIMETHYLBENZENE	95-63-6	14
XYLENE	1330-20-7	< 2

IARC: No information available

MSDS Number: 951

JET SPRAY, GUMOUT CARBURETOR AND CHOKE CLEANER

Page 7 of 8

SARA 3	311/3	12 Categor	ies						
Acute:	_X	Chronic:	_X	Fire:	_X	Pressure:	_X_	Reactive:	1
Not Reg	ulate	d:							

Canadian WHMIS Classification

Class A - Compressed gas

Class B - Flammable and Combustible Material, Division 5, Flammable Aerosols

Class D - Poisonous and infectious material, Division 2B, Toxic Material

European Union Classification

Hazard Symbols:

Extremely flammable / F+ / flame in square.

"3" Aerosol

Harmful / Xn / X in square.

Dangerous for the environment / N / dead tree and fish in square

Risk Phrases:

R12: Extremely flammable.

R36: Irritating to eyes.

R65: Harmful: may cause lung damage if swallowed.

R66: Repeated exposure may cause skin dryness or cracking.

R67: Vapours may cause drowsiness and dizziness.

Safety Phrases:

S2: Keep out of the reach of Children.

S16: Keep away from sources of ignition - No smoking.

S23: Do not breathe gas/fumes/vapour/spray.

S24/25: Avoid contact with skin and eyes.

S62: If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

S61: Avoid release to the environment. Refer to special instructions/Safety data sheet.

Other: This product may contain the following chemical(s) listed on California's Proposition 65 as known to the State to cause cancer: Benzene < 5 ppb.

16. OTHER INFORMATION

Health and Environmental Label Language

Front Label:

DANGER: EXTREMELY FLAMMABLE. CONTENTS UNDER PRESSURE. HARMFUL OR FATAL IF SWALLOWED. VAPOR HARMFUL.

Read carefully other cautions on back.

Back Label:

DANGER: Contains petroleum solvents, rubbing alcohol, organic ketone and hydrocarbon propellant. Prolonged and repeated skin contact may cause drying of skin.

PRECAUTIONARY MEASURES: Do not puncture, incinerate or store above 120 F. Avoid prolonged exposure to sunlight. Keep away from heat and flames. Exposure to heat may cause can to burst. Avoid breathing of mists and vapors. Use only in well ventilated areas. Avoid skin and eye contact.

Wash thoroughly after handling.

FIRST AID: If swallowed, do not induce vomiting. Call physician immediately. For eye contact, wash thoroughly with water. If inhaled, breathe fresh air.

If not breathing, give artificial respiration. Call physician immediately.

MSDS Number: 951

JET SPRAY, GUMOUT CARBURETOR AND CHOKE CLEANER

Page 8 of 8

Use only as directed. Intentional misuse by deliberately concentrating and/or inhaling can be harmful or fatal.

KEEP OUT OF REACH OF CHILDREN.

WARNING: This product contains a chemical known to the state of California to cause cancer.

Note: add on top of back panel: Keep away from battery terminals.

MSDS Revisions

Previous Version Date: 8/27/1997

Previous Version Information

No information available

Other

No information available

Prepared By:

Pennzoil-Quaker State Company Environmental, Safety, Health, & DOT Compliance P.O. Box 2967 Houston, TX 77252-2967 USA

Disclaimer of Warranty: The information contained herein is based upon data and information available to us, and reflects our best professional judgement. This product may be formulated in part with components purchased from other companies. In many instances, especially when proprietary or trade secret materials are used, Pennzoil-Quaker State Company must rely upon the hazard evaluation of such components submitted by that product's manufacturer or importer. No warranty of merchantability, fitness for any use, or any other warranty is expressed or implied regarding the accuracy of such data or information. The results to be obtained from the use thereof, or that any such use does not infringe any patent. Since the information contained herein may be applied under conditions of use beyond our control and with which we may be unfamiliar, we do not assume responsibility for the results of such application. This information is furnished upon the condition that the person receiving it shall make his own determination of the suitability of the material for his particular use.