

SAFETY DATA SHEET

1. Identification	
MSDS number	*** This Safety Data Sheet is only authorised for use by HP for HP Original products. Any unauthorised use of this Safety Data Sheet is strictly prohibited and may result in legal action being taken by HP. ***
Product identifier	HP LaserJet Print Cartridge
Other means of identification	None.
Recommended use	This product is a toner preparation that is used in HP LaserJet Pro M402, HP LaserJet Pro MFP M426 series printers.
Recommended restrictions	None known.
Manufacturer/Importer/Supplier	r/Distributor information
	HP Inc.
	1501 Page Mill Road
	Palo Alto, CA 94304-1112
	United States
Telephone	650-857-1501
HP Inc. health effects line	
(Toll-free within the US)	1-800-457-4209
(Direct)	1-760-710-0048
HP Inc. Customer Care Line	
(Toll-free within the US)	1-800-474-6836
(Direct)	1-208-323-2551
Email:	hpcustomer.inquiries@hp.com
2. Hazard(s) identification	n
Physical hazards	Not classified.
Health hazards	Not classified.
Environmental hazards	Not classified.
OSHA defined hazards	Not classified.
Label elements	
Hazard symbol	None.
Signal word	None.
Hazard statement	Not available.
Precautionary statement	
Prevention	Not available.
Response	Not available.
Storage	Not available.
Disposal	Not available.
Hazard(s) not otherwise	None of the other ingredients in this preparation are classified as carcinogens according to
classified (HNOC)	ACGIH, EU, IARC, MAK, NTP or OSHA.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Styrene acrylate copolymer		Trade Secret	<50
Iron oxide		1317-61-9	<45

Chemical name	Common name and synonyms	CAS number	%	
Wax	Wax	Proprietary	<15	
Amorphous silica	Amorphous silica	7631-86-9	<2	
4. First-aid measures				
Inhalation	Move person to fresh air immediately. If irrita	tion persists, consult a physicia	n.	
Skin contact	Wash affected areas thoroughly with mild so develops or persists.	ap and water. Get medical atten	tion if irritation	
Eye contact	Do not rub eyes. Immediately flush with large least 15 minutes or until particles are remove			
Ingestion	Rinse mouth out with water. Drink one to two physician.	glasses of water. If symptoms	occur, consult a	
Most important symptoms/effects, acute and delayed	Not available.			
5. Fire-fighting measures				
Suitable extinguishing media	CO2, water, or dry chemical			
Unsuitable extinguishing media	None known.			
Specific hazards arising from the chemical	Like most organic material in powder form, toner can form explosive dust-air mixtures when fin dispersed in air.			
Special protective equipment and precautions for firefighters	Not available.			
Fire fighting equipment/instructions	If fire occurs in the printer, treat as an electric	If fire occurs in the printer, treat as an electrical fire.		
Specific methods	None established.			
6. Accidental release mea	sures			
Personal precautions, protective equipment and emergency procedures	Minimize dust generation and accumulation.			
Methods and materials for containment and cleaning up	Slowly vacuum or sweep the material into a bag or other sealed container. Clean remainded damp cloth or vacuum cleaner. If a vacuum is used, the motor must be rated as dust explosion-proof. Fine powder can form explosive dust-air mixtures. Dispose of in complian federal, state, and local regulations.		as dust	
Environmental precautions	Do not flush into surface water or sanitary se considerations.	ewer system. See also section 1	3 Disposal	
7. Handling and storage				
Precautions for safe handling	Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use w adequate ventilation. Keep away from excessive heat, sparks, and open flames.			
Conditions for safe storage, including any incompatibilities	Keep out of the reach of children. Keep tight away from strong oxidizers.	ly closed and dry. Store at room	temperature. Store	
8. Exposure controls/pers	onal protection			
Occupational exposure limits US. NIOSH: Pocket Guide to	Chemical Hazards			
Components	Туре	Value		
Amorphous silios (CAS	Τ\Λ/Λ	6 mg/m2		

Componente	.) po	
Amorphous silica (CAS 7631-86-9)	TWA	6 mg/m3

Biological limit values

No biological exposure limits noted for the ingredient(s).

Exposure guidelines	USA OSHA (TWA/PEL): 15 mg/m3 (Total Dust), 5 mg/m3 (Respirable Fraction)
	ACGIH (TWA/TLV): 10 mg/m3 (Inhalable Particulate), 3 mg/m3 (Respirable Particulate)
	Amorphous silica: USA OSHA (TWA/PEL): 20 mppcf 80 (mg/m3)/%SiO2, ACGIH (TWA/TLV): 10 mg/m3
	TRGS 900 (Luftgrenzwert) - 10 mg/m3 (Einatembare partikel), 3 mg/m3 (Alveolengängige fraktion)
Appropriate engineering controls	Use in a well ventilated area.
Individual protection measures,	such as personal protective equipment
Eye/face protection	Not available.
Skin protection	
Hand protection	Not available.
Other	Not available.
Respiratory protection	Not available.
Thermal hazards	Not available.
9. Physical and chemical	properties
Appearance	Fine powder
Physical state	Solid.
Form	solid
Color	Black.

Flammability (solid, gas)

Odor

pН

range Flash point

Odor threshold

Evaporation rate

Melting point/freezing point

Initial boiling point and boiling

Upper/lower flammability or expl	osive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not applicable
Vapor density	Not applicable
Solubility(ies)	
Solubility (water)	Negligible in water. Partially soluble in toluene and xylene.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available
Decomposition temperature	> 392 °F (> 200 °C)
Viscosity	Not applicable
Other information	
Oxidizing properties	No information available.
Softening point	194 - 284 °F (90 - 140 °C)
Specific gravity	1.4 - 1.8
VOC	Not applicable

Slight plastic odor

Not available. Not applicable

Not available. Not applicable

Not applicable

Not applicable

Not available.

10. Stability and reactivity

Reactivity	Not available.
Chemical stability	Stable under normal storage conditions.
Possibility of hazardous reactions	Will not occur.
Conditions to avoid	Imaging Drum: Exposure to light
Incompatible materials	Strong oxidizers
Hazardous decomposition products	Carbon monoxide and carbon dioxide.

11. Toxicological information

Information on likely routes of exposure

Inhalation	Under normal conditions of intended use, this material is not expected to be an inhalation hazard.
Skin contact	Contact with skin may result in mild irritation.
Eye contact	Contact with eyes may result in mild irritation.
Ingestion	Ingestion is not a likely route of exposure.
Symptoms related to the physical, chemical and toxicological characteristics	Not available.
Information on toxicological effe	ects
Acute toxicity	Based on available data, the classification criteria are not met.
Skin corrosion/irritation	Based on available data, the classification criteria are not met.
Serious eye damage/eye irritation	Based on available data, the classification criteria are not met.
Respiratory or skin sensitizatior	l
Respiratory sensitization	Based on available data, the classification criteria are not met.
Skin sensitization	Based on available data, the classification criteria are not met.
Germ cell mutagenicity	Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium) Based on available data, the classification criteria are not met.
Carcinogenicity	Based on available data, the classification criteria are not met.
Not listed.	Evaluation of Carcinogenicity d Substances (29 CFR 1910.1001-1053)
	gram (NTP) Report on Carcinogens
Not listed.	
Reproductive toxicity	Based on available data, the classification criteria are not met.
Specific target organ toxicity - single exposure	Based on available data, the classification criteria are not met.
Specific target organ toxicity - repeated exposure	Based on available data, the classification criteria are not met.
Aspiration hazard	Based on available data, the classification criteria are not met.
Further information	Complete toxicity data are not available for this specific formulation Refer to Section 2 for potential health effects and Section 4 for first aid measures.

12. Ecological information

Ecotoxicity	LL50: > 1	000 mg/l, Fish, 96.00 Hours	
Product		Species	Test Results
CF226A-X-XC-XH-JC			
Aquatic			
Algae	ErL50	Algae	> 1000 mg/l, 72 Hours
Crustacea	EL50	Crustacea	> 1000 mg/l, 48 Hours
Fish	LL50	Fish	> 1000 mg/l, 96 Hours

Persistence and degradability Bioaccumulative potential Mobility in soil Other adverse effects	Not available. Not available. Not available. Not available.
13. Disposal consideratio	
	dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal, state, and local regulations.
	HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit http://www.hp.com/recycle.

14. Transport information

DOT	
-----	--

DOT	
UN number	Not available.
UN proper shipping name	Not Regulated
Transport hazard class(es)	
Class	Not available.
Subsidiary risk	-
Packing group	Not available.
Environmental hazards	
Marine pollutant	No
Special precautions for use	r Not available.
IATA	
UN number	Not available.
UN proper shipping name	Not Regulated
Transport hazard class(es)	
Class	Not available.
Subsidiary risk	
Packing group	Not available.
Environmental hazards	No
Special precautions for user	r Not available.
IMDG	
UN number	Not available.
UN proper shipping name	Not Regulated
Transport hazard class(es)	
Class	Not available.
Subsidiary risk	-
Packing group	Not available.
Transport hazard class(es)	
Marine pollutant	No
EmS	Not available.
Special precautions for use	r Not available.
ADR	
UN number	Not available.
UN proper shipping name	Not regulated
Transport hazard class(es)	
Class	Not available.
Subsidiary risk	-
Hazard No. (ADR)	Not available.
Tunnel restriction code	
Packing group	Not available.
Environmental hazards	No.
Special precautions for use	r Not available.
Further information	None.

15. Regulatory information

US federal regulations US EPA TSCA Inventory: All chemical substances in this product comply with all rules or orders under TSCA.

ct (TSCA)
ort Notification (40 CFR 707, Subpt. D)
nce List (40 CFR 302.4)
se notification
d Substances (29 CFR 1910.1001-1053)
a Substances (29 CFR 1910.1001-1055)
authorization Act of 1986 (SARA)
ous substance
No
112 Hazardous Air Pollutants (HAPs) List
P substances. 112(r) Accidental Release Prevention (40 CFR 68.130)
Not regulated.
Not applicable.
All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.
uding date of preparation or last revision
21-Sep-2021
01
This SDS was prepared in accordance with USA OSHA Hazard Communications regulation (29 CFR 1910.1200).
This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.
This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs. 1. Product and Company Identification: Alternate Trade Names

Explanation of abbreviations

ACGIH	American Conference of Governmental Industrial Hygienists
CAS	Chemical Abstracts Service
CERCLA	Comprehensive Environmental Response Compensation and Liability Act
CFR	Code of Federal Regulations
COC	Cleveland Open Cup
DOT	Department of Transportation
EPCRA	Emergency Planning and Community Right-to-Know Act (aka SARA)
IARC	International Agency for Research on Cancer
NIOSH	National Institute for Occupational Safety and Health
NTP	National Toxicology Program
OSHA	Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
RCRA	Resource Conservation and Recovery Act
REC	Recommended
REL	Recommended Exposure Limit
SARA	Superfund Amendments and Reauthorization Act of 1986
STEL	Short-Term Exposure Limit
TCLP	Toxicity Characteristics Leaching Procedure
TLV	Threshold Limit Value
TSCA	Toxic Substances Control Act
VOC	Volatile Organic Compounds