



AJAX CLEANER POWDER-OXYGEN BLEACH

This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version 1.1

SDS Number: 660000000222

Revision Date: 05/14/2015

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : AJAX CLEANER POWDER-OXYGEN BLEACH

Product code : 200000017621

: B01809190000

Manufacturer or supplier's details

Company : Colgate-Palmolive Co
Commerical Consumer Group
191 East Hanover Avenue
Morristown, NJ 07960-3151

Telephone : US: Consumer Affairs - 1-800-468-6502

Emergency telephone number : For emergencies involving spill, leak, fire, exposure or accident call CHEMTREC (24hr) at (800) 424-9300 or (703) 527-3887.

Medical Emergency (24HR): For MEDICAL EMERGENCIES involving this product call: (888) 489-3861

Recommended use of the chemical and restrictions on use

Recommended use : A formulated multi-purpose cleaner

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance	powder
Colour	off-white

GHS Classification

Acute toxicity (Inhalation) : Category 4

GHS Label element

Hazard pictograms



Signal word : Warning

Hazard statements : H332 Harmful if inhaled.



AJAX CLEANER POWDER-OXYGEN BLEACH

This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version 1.1

SDS Number: 660000000222

Revision Date: 05/14/2015

Precautionary statements : **Prevention:**
P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.
P271 Use only outdoors or in a well-ventilated area.
Response:
P304 + P340 + P312 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/ physician if you feel unwell.

Potential Health Effects

Inhalation : May be harmful if inhaled.
Skin : May cause skin irritation upon prolonged contact.
Eyes : Causes eye irritation on direct contact.
Ingestion : May be harmful if swallowed in large quantities.
Aggravated Medical Condition : None known.

Carcinogenicity:

IARC No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

OSHA No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

NTP No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous components

Chemical Name	CAS-No.	Concentration (%)
LIMESTONE	1317-65-3	>= 90 - <= 100
SODIUM CARBONATE	497-19-8	>= 5 - < 10

SECTION 4. FIRST AID MEASURES

If inhaled : Remove victim to fresh air. Get medical attention, if symptoms persist.



AJAX CLEANER POWDER-OXYGEN BLEACH

This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version 1.1

SDS Number: 660000000222

Revision Date: 05/14/2015

- In case of skin contact : Flush skin with large amounts of water. If irritation develops and persists, get medical attention.
- In case of eye contact : Flush eyes with water at least 15 minutes. Get medical attention if eye irritation develops or persists.
- If swallowed : Drink 8 ounces of clear water. Get medical attention.
- Most important symptoms and effects, both acute and delayed : Harmful if inhaled.

SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
- Hazardous combustion products : No hazardous combustion products are known
- Special protective equipment for firefighters : Self-contained breathing apparatus and full protective clothing should be worn when fighting chemical fires.

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protection recommended in Section 8 of the SDS.
- Methods and materials for containment and cleaning up : Cover with inert, absorbent material and remove to disposal container. Spill area may be slippery. Flush with plenty of water.

SECTION 7. HANDLING AND STORAGE

- Conditions for safe storage : Store at controlled room temperature at 20-25°C (68-77°F).

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
LIMESTONE	1317-65-3	TWA (Respirable)	5 mg/m3	NIOSH REL
		TWA (total)	10 mg/m3	NIOSH REL
		TWA (Respirable)	5 mg/m3	NIOSH REL



AJAX CLEANER POWDER-OXYGEN BLEACH

This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version 1.1

SDS Number: 660000000222

Revision Date: 05/14/2015

		TWA (total)	10 mg/m3	NIOSH REL
		TWA (total dust)	15 mg/m3	OSHA Z-1
		TWA (respirable fraction)	5 mg/m3	OSHA Z-1
		TWA (Total dust)	15 mg/m3	OSHA P0
		TWA (respirable dust fraction)	5 mg/m3	OSHA P0

Engineering measures : In an industrial work environment, no special precautions or control measures are required.

Personal protective equipment

Respiratory protection : General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.

Protective measures : In an industrial work environment, if a splash is likely, chemical goggles may be needed. Prolonged skin contact may require protective gloves. For consumer use, no unusual precautions are necessary.

Hygiene measures : In an industrial work environment, avoid eye and prolonged skin contact.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : powder

Colour : off-white

pH : 10.4

Flash point : No data available

Density : 1.04 g/cm3

SECTION 10. STABILITY AND REACTIVITY



AJAX CLEANER POWDER-OXYGEN BLEACH

This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version 1.1

SDS Number: 660000000222

Revision Date: 05/14/2015

Possibility of hazardous reactions : Hazardous polymerisation does not occur.

Incompatible materials : Strong oxidizing agents

Hazardous decomposition products : None known.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Harmful if inhaled.

Product:

Acute oral toxicity : Acute toxicity estimate : > 5,000 mg/kg
Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate : 1.63 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: Calculation method

Components:

LIMESTONE:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 420

Acute inhalation toxicity : LC50 (Rabbit): > 3 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 402

SODIUM CARBONATE:

Acute oral toxicity : LD50 (Rat): 2,800 mg/kg

Acute inhalation toxicity : LC50 (Rabbit): 2.3 mg/l
Exposure time: 2 h
Test atmosphere: No information available.
Method: No information available.

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg
Method: No information available.

Skin corrosion/irritation

Not classified based on available information.

Components:

LIMESTONE:



AJAX CLEANER POWDER-OXYGEN BLEACH

This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version 1.1

SDS Number: 660000000222

Revision Date: 05/14/2015

Result: No skin irritation

SODIUM CARBONATE:

Remarks: No data available

Serious eye damage/eye irritation

Not classified based on available information.

Components:

LIMESTONE:

Result: No eye irritation

SODIUM CARBONATE:

Result: Irritation to eyes, reversing within 21 days

Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information.

Respiratory sensitisation: Not classified based on available information.

Components:

LIMESTONE:

Exposure routes: Inhalation

Result: Does not cause respiratory sensitisation.

Exposure routes: Dermal

Result: Does not cause skin sensitisation.

SODIUM CARBONATE:

Exposure routes: Inhalation

Remarks: No data available

Exposure routes: Dermal

Remarks: No data available

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.



AJAX CLEANER POWDER-OXYGEN BLEACH

This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version 1.1

SDS Number: 660000000222

Revision Date: 05/14/2015

Further information

Product:

Remarks: This product has not been tested as a whole. However, this formula was reviewed by expert toxicologists in the Product Safety Assurance Department of Colgate-Palmolive and is determined to be safe for its intended use. This review has taken into consideration available safety-related information including information on individual ingredients, similar formulas and potential ingredient interactions. This review is a component of the hazard determination used to prepare the statements in Section 3 of the SDS.

SECTION 12. ECOLOGICAL INFORMATION

The product has not been tested as a whole for environmental toxicity. However, environmental information on the ingredients in this product have been reviewed by the Environmental, Health and Safety group of Colgate-Palmolive and determined to have an acceptable environmental profile. This evaluation is based on available information on individual ingredients, interactions of ingredients, and similar ingredients. Biodegradability claims are supported by data on ingredients (i.e., surfactants are biodegradable) or testing conducted on the final product (i.e., This product is biodegradable).

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Any disposal practice must be in compliance with local, state and federal laws and regulations (contact local or state environment agency for specific rules). Do not dump in sewers, any body of water or on the ground.

SECTION 14. TRANSPORT INFORMATION

DOT : Not regulated.

TDG : Not regulated.

IATA : Not regulated.

IMDG : Not regulated.

International Regulation

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

SECTION 15. REGULATORY INFORMATION



AJAX CLEANER POWDER-OXYGEN BLEACH

This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version 1.1

SDS Number: 660000000222

Revision Date: 05/14/2015

OSHA Hazards : Combustible dust, Moderate skin irritant, Severe eye irritant

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
SODIUM DODECYL BENZENE SULFONATE	25155-30-0	1000	*

*: Calculated RQ exceeds reasonably attainable upper limit.

SARA 304 Extremely Hazardous Substances Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
SULFUR DIOXIDE	7446-09-5	500	*

*: Calculated RQ exceeds reasonably attainable upper limit.

SARA 311/312 Hazards : Acute Health Hazard

SARA 302 : No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCM Intermediate or Final VOC's (40 CFR 60.489).

Clean Water Act

The following Hazardous Substances are listed under the U.S. CleanWater Act, Section 311, Table 116.4A:

SODIUM DODECYL 25155-30-0
BENZENE
SULFONATE
Sulfuric Acid SULFURIC ACID

The following Hazardous Chemicals are listed under the U.S. CleanWater Act, Section 311, Table 117.3:

SODIUM DODECYL 25155-30-0
BENZENE
SULFONATE
Sulfuric Acid SULFURIC ACID

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

Massachusetts Right To Know



AJAX CLEANER POWDER-OXYGEN BLEACH

This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version 1.1

SDS Number: 660000000222

Revision Date: 05/14/2015

LIMESTONE	1317-65-3
SODIUM DODECYL BENZENE	25155-30-0
SULFONATE	
Sulfuric Acid	SULFURIC
	ACID
SULFUR DIOXIDE	7446-09-5

Pennsylvania Right To Know

LIMESTONE	1317-65-3
SODIUM CARBONATE	497-19-8
SODIUM DODECYL BENZENE	25155-30-0
SULFONATE	
Sulfuric Acid	SULFURIC
	ACID
SULFUR DIOXIDE	7446-09-5
SODIUM SULFATE	7757-82-6

New Jersey Right To Know

LIMESTONE	1317-65-3
SODIUM CARBONATE	497-19-8
SODIUM DODECYL BENZENE	25155-30-0
SULFONATE	

California Prop 65

: This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

The components of this product are reported in the following inventories:

TSCA : All ingredients in this product are listed on the TSCA Inventory or are not required to be listed on the TSCA Inventory.

Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TSCA (USA)

AJAX CLEANER POWDER-OXYGEN BLEACH

This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version 1.1


SDS Number: 6600000000222

Revision Date: 05/14/2015

SECTION 16. OTHER INFORMATION

Further information

NFPA:



HMIS III:

HEALTH	2
FLAMMABILITY	0
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,
2 = Moderate, 3 = High
4 = Extreme, * = Chronic

Disclaimer: The information on this sheet is limited to the material identified and is believed by the Colgate-Palmolive Company to be correct based on its knowledge and information as of the date noted. Colgate makes no representation, guarantee or warranty, expressed or implied, as to the accuracy, reliability or completeness of the information and assumes no responsibility for injury, damage or loss resulting from the use of the material.