

SDS Revision Date: 3/25/2020

## 1. Identification

1.1. Product identifier

Product Identity Instant Hand Sanitizer

**Alternate Names** 

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use Antiseptic; hand sanitizer to help reduce bacteria on the

skin that could cause disease

Application Method Place enough product in your palm to thoroughly cover

your hands, rub together briskly until dry.

1.3. Details of the supplier of the safety data sheet

Company Name

Salt Flats Spirits, LLC
2020 W Industrial Circle

SLC, UT 84104

**Emergency** 

24 hour Emergency Telephone No. Call your local Poison Control Center First, 801-828-3469

**Customer Service:** 801-828-3469

# 2. Hazard(s) identification

## 2.1. Classification of the substance or mixture

Flam. Liq. 3;H226 Flammable liquid and vapor.

### 2.2. Label elements

Using the Toxicity Data listed in section 11 and 12 the product is labeled as follows.



H226 Flammable liquid and vapor.

Instant Hand Sanitizer Page 1 of 10



SDS Revision Date: 3/25/2020

### [Prevention]:

P210 Keep away from heat / sparks / open flames / hot surfaces - No smoking.

P235 Keep cool.

P240 Ground / bond container and receiving equipment.

P241 Use explosion-proof electrical / ventilating / light / equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

P280 Wear protective gloves / eye protection / face protection.

### [Response]:

P303+361+353 IF ON SKIN (or hair): Remove / Take off immediately all contaminated clothing. Rinse skin with water / shower.

P370+378 In case of fire: Use extinguishing media listed in section 5 of SDS for extinction.

### [Storage]:

P403+233 Store in a well ventilated place. Keep container tightly closed.

### [Disposal]:

P501 Dispose of contents / container in accordance with local / national regulations.

# 3. Composition/information on ingredients

This product contains the following substances that present a hazard within the meaning of the relevant State and Federal Hazardous Substances regulations.

Ingredient/Chemical Designations	Weight %	GHS Classification	Notes
Ethanol CAS Number: 0000064-17-5	50 - 75	Flam. Liq. 2;H225	[1][2]

## 4. First aid measures

#### 4.1. Description of first aid measures

**General** In all cases of doubt, or when symptoms persist, seek medical attention.

Never give anything by mouth to an unconscious person.

**Inhalation** If breathing is difficult move to fresh air.

-Instant Hand Sanitizer Page 2 of 10



SDS Revision Date: 3/25/2020

Eyes Flush with water.
Skin Flush with water.

**Ingestion** Do not induce vomiting unless directed to do so by medical personnel. Never give anything

by mouth to an unconscious person. If potentially dangerous quantities of this material

have been swallowed, call a physician immediately.

## 4.2. Most important symptoms and effects, both acute and delayed

Overview Health Hazards (Acute and Chronic): Used as a hand sanitizer. Vapor irritates eyes. High

concentration of vapor can irritate respiratory tract, are anesthetic and may cause CNS

depression.

Signs and Symptoms of Exposure: Confusion, headache, dizziness, and nausea.

Medical Conditions Generally Aggravated by Exposure: Pre existing eye and respiratory

disorders may be aggravated by exposure.

Exposure to solvent vapor concentrations from the component solvents in excess of the stated occupational exposure limits may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on the kidneys, liver and central nervous system. Symptoms include headache, nausea, dizziness, fatigue, muscular weekness, drawsiness and in systems again to the project of consciousness.

weakness, drowsiness and in extreme cases, loss of consciousness.

Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in dryness, irritation and possible non-allergic contact dermatitis. Solvents may also be absorbed through the skin. Splashes of liquid in the eyes may cause irritation and soreness with possible reversible damage. See section 2 for further details.

## 5. Fire-fighting measures

#### 5.1. Extinguishing media

CO2, Dry Chemical, Foam, Sand.

#### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition: High temperatures and fires may produce such toxic substances as carbon monoxide and carbon dioxide.

Keep away from heat / sparks / open flames / hot surfaces - No smoking.

Keep cool.

Ground / bond container and receiving equipment.

Use explosion-proof electrical / ventilating / light / equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

### 5.3. Advice for fire-fighters

Large quantities of hand sanitizer are flammable and vapors form explosive mixtures with air. Dangerous when exposed to heat, sparks, flame or oxidants.

Instant Hand Sanitizer Page 3 of 10



SDS Revision Date: 3/25/2020

Handle as a flammable liquid. Dilution of burning liquid with water will effect extinguishment.

## 6. Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Put on appropriate personal protective equipment (see section 8).

#### 6.2. Environmental precautions

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

Collect in flammable waste container for disposal.

## 6.3. Methods and material for containment and cleaning up

Eliminate all sources of ignition, small spills should be flushed with large quantities of water, larger spills should be collected for disposal.

## 7. Handling and storage

### 7.1. Precautions for safe handling

Keep away from heat, sparks, and open flames. Store at normal room temperature away from reach of small children. Keep container closed. Avoid freezing conditions.

See section 2 for further details. - [Prevention]:

#### 7.2. Conditions for safe storage, including any incompatibilities

Handle containers carefully to prevent damage and spillage.

Naked flames and smoking should not be permitted in storage areas. It is recommended that fork lift trucks and electrical equipment are protected to the appropriate standard.

Incompatible materials: Incompatible with strong oxidizing agents

See section 2 for further details. - [Storage]:

### 7.3. Specific end use(s)

No data available.

## 8. Exposure controls and personal protection

#### 8.1. Control parameters

#### **Exposure**

CAS No.	Ingredient	Source	Value

Instant Hand Sanitizer Page 4 of 10



SDS Revision Date: 3/25/2020

0000064-17-5	Ethanol	OSHA	TWA 1000 ppm (1900 mg/m3)
		ACGIH	STEL: 1000 ppm Revised 2009,
		NIOSH	TWA 1000 ppm (1900 mg/m3)
		Supplier	No Established Limit

## Carcinogen Data

CAS No.	Ingredient	Source	Value
0000064-17-5	Ethanol	OSHA	Select Carcinogen: No
		NTP	Known: No; Suspected: No
		IARC	Group 1: Yes; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;

## 8.2. Exposure controls

**Respiratory** If workers are exposed to concentrations above the exposure limit they must use the

appropriate, certified respirators.

Eyes Safety Goggles

**Skin** Wear overalls to keep skin contact to a minimum. Use neoprene or rubber gloves or PVC.

**Engineering Controls** Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to

use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and any vapor below occupational exposure limits

suitable respiratory protection must be worn.

Other Work Practices Eye bath and safety showers. Use good personal hygiene practices. Wash hands before

eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash

thoroughly before reuse.

See section 2 for further details. - [Prevention]:

# 9. Physical and chemical properties

Appearance Clear Colorless

**Odor** Citrus

Odor threshold Not Measured

Instant Hand Sanitizer Page 5 of 10



SDS Revision Date: 3/25/2020

**pH** 7.2-8.2

Melting point / freezing point Not Measured

Initial boiling point and boiling range 170-174 F
Flash Point 57.2 F

Flash Point 57.2 F
Evaporation rate (Ether = 1) N/A

Flammability (solid, gas) Not Applicable

Upper/lower flammability or explosive limits Lower Explosive Limit: Not Measured

Vapor pressure (Pa)

Upper Explosive Limit: Not Measured
N/A

Vapor Density

N/A

Specific Gravity

N/A

83 - .86

Solubility in Water Complete

Partition coefficient n-octanol/water (Log Kow) Not Measured

Auto-ignition temperatureNot MeasuredDecomposition temperatureNot MeasuredViscosity (cSt)Not Measured

% Ethyl Alcohol (w/w) 77%-82%

9.2. Other information

No other relevant information.

# 10. Stability and reactivity

### 10.1. Reactivity

Hazardous Polymerization will not occur.

#### 10.2. Chemical stability

Stable under normal circumstances.

### 10.3. Possibility of hazardous reactions

No data available.

### 10.4. Conditions to avoid

High temperatures and fires.

#### 10.5. Incompatible materials

Incompatible with strong oxidizing agents

## 10.6. Hazardous decomposition products

High temperatures and fires may produce such toxic substances as carbon monoxide and carbon dioxide.

Instant Hand Sanitizer Page 6 of 10



SDS Revision Date: 3/25/2020

## 11. Toxicological information

## **Acute toxicity**

Exposure to solvent vapor concentrations from the component solvents in excess of the stated occupational exposure limits may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on the kidneys, liver and central nervous system. Symptoms include headache, nausea, dizziness, fatigue, muscular weakness, drowsiness and in extreme cases, loss of consciousness.

Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in dryness, irritation and possible non-allergic contact dermatitis. Solvents may also be absorbed through the skin. Splashes of liquid in the eyes may cause irritation and soreness with possible reversible damage.

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapor LD50, mg/L/4hr	Inhalation Dust/Mist LD50, mg/L/4hr	Inhalation Gas LD50, ppm
Ethanol - (64-17-5)	7,060.00, Rat - Category: NA	20,000.00, Rabbit - Category: NA	124.70, Rat - Category: NA	No data available	No data available

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

Classification	Category	Hazard Description
Acute toxicity (oral)		Not Applicable
Acute toxicity (dermal)		Not Applicable
Acute toxicity (inhalation)		Not Applicable
Skin corrosion/irritation		Not Applicable
Serious eye damage/irritation		Not Applicable
Respiratory sensitization		Not Applicable
Skin sensitization		Not Applicable
Germ cell mutagenicity		Not Applicable
Carcinogenicity		Not Applicable
Reproductive toxicity		Not Applicable
STOT-single exposure		Not Applicable
STOT-repeated exposure		Not Applicable
Aspiration hazard		Not Applicable

-Instant Hand Sanitizer Page 7 of 10



SDS Revision Date: 3/25/2020

## 12. Ecological information

## 12.1. Toxicity

Toxic to aquatic life

### **Aquatic Ecotoxicity**

Ingredient	96 hr LC50 fish,	48 hr EC50 crustacea,	ErC50 algae,
	mg/l	mg/l	mg/l
Ethanol - (64-17-5)	42.00, Oncorhynchus mykiss	2.00, Daphnia magna	17.921 (96 hr), Ulva pertusa

### 12.2. Persistence and degradability

There is no data available on the preparation itself.

## 12.3. Bioaccumulative potential

Not Measured

### 12.4. Mobility in soil

No data available.

#### 12.5. Results of PBT and vPvB assessment

This product contains no PBT/vPvB chemicals.

#### 12.6. Other adverse effects

No data available.

# 13. Disposal considerations

#### 13.1. Waste treatment methods

Destroy by liquid incineration. Use absorbent material and deposit in toxic landfill in accordance with local, state, and federal regulations.

## 14. Transport information

In accordance with DOT Transport document description UN-No.(DOT)

DOT NA no.

**DOT Proper Shipping Name** 

Department of Transportation (DOT) Hazard Classes

Hazard labels (DOT)

Packing group (DOT)

: UN1987 Alcohols, n.o.s. (ethanol, methanol), 3, III: 1987

: UN1987

: Alcohols, n.o.s. ethanol, methanol

: 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120

: 3 - Flammable liquid

: III - Minor Danger



SDS Revision Date: 3/25/2020

Toxic Substance All Control Act ( TSCA)

All components of this material are either listed or exempt from listing on the TSCA

Inventory.

WHMIS Classification B2

US EPA Tier II Hazards Fire: Yes

Sudden Release of Pressure: No

Reactive: No

Immediate (Acute): No Delayed (Chronic): No

#### EPCRA 311/312 Chemicals and RQs:

No chemicals at levels which require reporting under this statute.

### **EPCRA 302 Extremely Hazardous:**

No chemicals at levels which require reporting under this statute.

#### **EPCRA 313 Toxic Chemicals:**

No chemicals at levels which require reporting under this statute.

#### Proposition 65 - Carcinogens (>0.0%):

No chemicals at levels which require reporting under this statute.

## **Proposition 65 - Developmental Toxins (>0.0%):**

No chemicals at levels which require reporting under this statute.

### **Proposition 65 - Female Repro Toxins (>0.0%):**

No chemicals at levels which require reporting under this statute.

#### **Proposition 65 - Male Repro Toxins (>0.0%):**

No chemicals at levels which require reporting under this statute.

#### N.J. RTK Substances (>1%):

Ethanol

### Penn RTK Substances (>1%):

Ethanol

## 16. Other information

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

The full text of the phrases appearing in section 3 is:

H225 Highly flammable liquid and vapor.

Instant Hand Sanitizer Page 9 of 10



SDS Revision Date: 3/25/2020

H319 Causes serious eye irritation.

H336 May cause drowsiness and dizziness.

This is the first version in the GHS SDS format. Listings of changes from previous versions in other formats are not applicable.

Disclaimer: The contents of this MSDS are believed to be correct but do not purport to be all-inclusive and should only be used as a guide. Salt Flats Spirits, LLC disclaims any express or implied warranty as to the accuracy of the above information and shall not be held liable for any direct, incidental or consequential damages resulting from the reliance on the above information.

**End of Document** 

Instant Hand Sanitizer Page 10 of