Version 2.12 Revision Date 01/22/2021 Print Date 02/11/2022

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name	:	ZEP INSTANT HAND SANITIZER GEL 500ML
Material number	:	0000000000087801
Manufacturer or supplier's	deta	ails
Company	:	Zep Inc.
Address	:	350 Joe Frank Harris Parkway, SE Emerson, GA 30137
Telephone	:	404-352-1680

Emergency telephone numbers

For SDS Information	:	Compliance Services 1-877-428-9937
For a Medical Emergency	:	877-541-2016 Toll Free - All Calls Recorded
For a Transportation	:	CHEMTREC: 800-424-9300 - All Calls Recorded.
Emergency		In the District of Columbia 202-483-7616

Recommended use of the chemical and restrictions on use

This product is labeled as an over-the-counter (non-prescription) drug under the Food and Drug administration (FDA) regulations of the United States. The warnings presented below in this Safety Data Sheet (SDS) comply with the 2012 OSHA Hazard Communication Standard (GHS - Globally Harmonized System of Classification and Labeling). The requirements for the labeling and warnings of FDA products may differ from those required for GHS based hazard communication.

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance	viscous, gel
Colour	colourless, clear
Odour	citrus

GHS Classification

Flammable liquids Eye irritation		Category 3 Category 2A
GHS label elements		
Hazard pictograms	:	Flame Exclamation mark
Signal word	:	Warning
Hazard statements	:	H226 Flammable liquid and vapour.

Version 2.12	Revision Date 01/22/2021	Print Date 02/11/2022
	H319 Causes serious eye irritatio	n.
Precautionary statements	 Prevention: P210 Keep away from heat, hot s and other ignition sources. No sm P233 Keep container tightly close P240 Ground and bond container P241 Use explosion-proof electric equipment. P242 Use only non-sparking tools P243 Take precautionary measur P264 Wash skin thoroughly after P280 Wear protective gloves/ eye Response: P303 + P361 + P353 IF ON SKIN immediately all contaminated clob P305 + P351 + P338 IF IN EYES for several minutes. Remove com easy to do. Continue rinsing. P337 + P313 If eye irritation pers attention. P370 + P378 In case of fire: Use alcohol-resistant foam to extingui Storage: P403 + P235 Store in a well-venti Disposal: P501 Dispose of contents/contair regulation. 	hoking. ed. and receiving equipment. cal/ ventilating/ lighting s. res against static discharge. handling. e protection/ face protection. I (or hair): Take off thing. Rinse skin with water. S: Rinse cautiously with water tact lenses, if present and ists: Get medical advice/ dry sand, dry chemical or sh. lated place. Keep cool.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture

: Mixture

Hazardous components

Chemical name	CAS-No.	Concentration [%]
ethanol	64-17-5	>= 50 - < 70

The exact percentages of disclosed substances are withheld as trade secrets.

SECTION 4. FIRST AID MEASURES

General advice	: Move out of dangerous area. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended.
lf inhaled	 If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of skin contact	: This product is formulated for use on skin. Discontinue use if irritation and redness develop.

Version 2.12	Revision Date 01/22/2021	Print Date 02/11/2022
	In the workplace, if a significant exp the skin, immediately wash off with	-
In case of eye contact	: Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a sp If in eyes, rinse with water for 15 mi	
If swallowed	: Keep respiratory tract clear. Never give anything by mouth to an If symptoms persist, call a physiciar DO NOT induce vomiting unless dir physician or poison control center.	ì.
Most important symptoms and effects, both acute and delayed	: Effects are immediate and delayed. Symptoms may include irritation, red Causes serious eye irritation. Review section 2 of SDS to see all	
Notes to physician	: Treat symptomatically. Symptoms	may be delayed.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical Water spray jet
Unsuitable extinguishing media	:	High volume water jet
Specific hazards during firefighting	:	Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion products	:	Carbon dioxide (CO2) Carbon monoxide Smoke
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Further information	:	Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. For safety reasons in case of fire, cans should be stored separately in closed containments. Use a water spray to cool fully closed containers.
Special protective equipment for firefighters	:	Wear self-contained breathing apparatus for firefighting if necessary.

Version 2.12

Revision Date 01/22/2021

Print Date 02/11/2022

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Material can create slippery conditions. Use non-slip safety shoes in areas where spills or leaks can occur. Refer to protective measures listed in sections 7 and 8. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.
Environmental precautions	:	Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains, inform respective authorities.
Methods and materials for containment and cleaning up	:	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Sweep up or vacuum up spillage and collect in suitable container for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling	 Avoid formation of aerosol. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Take precautionary measures against static discharges. Provide sufficient air exchange and/or exhaust in work rooms. Open drum carefully as content may be under pressure. Dispose of rinse water in accordance with local and national regulations. Avoid contact with eyes.
Conditions for safe storage	 No smoking. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Observe label precautions.
Materials to avoid	: Strong oxidizing agents

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
ethanol	64-17-5	TWA	1,000 ppm	ACGIH
		TWA	1,000 ppm	NIOSH REL
			1,900 mg/m3	
		TWA	1,000 ppm	OSHA Z-1

Version 2.12

Print Date 02/11/2022

	1,900 mg/m3	
TWA	1,000 ppm 1,900 mg/m3	OSHA P0
STEL	1,000 ppm	ACGIH
PEL	1,000 ppm 1,900 mg/m3	CAL PEL

Revision Date 01/22/2021

Engineering measures	: No special ventilation requirements necessary during product
	use. In the workplace or during a spill, utilize effective
	exhaust ventilation.

Personal protective equipme	nt
Respiratory protection	 No personal respiratory protective equipment normally required. In the workplace- If a significant exposure or spill occurs, use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.
Hand protection	
Remarks	: This product is formulated for use on skin. No special protection is required.
Eye protection	: Eye protection is not required while sanitizing with this product.
	In the workplace, the use of safety glasses is recommended to avoid eye exposure during the handling of containers or during spill clean-up.
Skin and body protection	: No special protection is required.
Hygiene measures	: Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: viscous, gel
Colour	: colourless, clear
Odour	: citrus
Odour Threshold	: No data available
рН	: 7-8
Melting point/freezing point	: No data available
Boiling point	: No data available
Flash point	: 21 °C Method: closed cup

Version 2.12	Revision Date 01/22/2021	Print Date 02/11/2022
F <i>i i</i>		
Evaporation rate	: >1 n-Butyl Acetate = 1.0	
Upper explosion limit	: 12 %(V)	
Lower explosion limit	: 2 %(V)	
Vapour pressure	: No data available	
Relative vapour density	: No data available	
Density	: 0.896 g/cm3	
Solubility(ies)		
Water solubility	: soluble	
Partition coefficient: n- octanol/water	: No data available	
Auto-ignition temperature	: not determined	
Thermal decomposition	: No data available	
Viscosity		
Viscosity, kinematic	: 4955.4 mm2/s (20 °C)	

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Stable
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No decomposition if stored and applied as directed.
reactions	Vapours may form explosive mixture with air.
Conditions to avoid	: Heat, flames and sparks.
Incompatible materials	: Strong oxidizing agents
Hazardous decomposition products	: Carbon oxides

SECTION 11. TOXICOLOGICAL INFORMATION

Potential Health Effects

Aggravated Medical Condition	: None known.
Symptoms of Overexposure	: Effects are immediate and delayed. Symptoms may include irritation, redness, pain, and rash.

Version 2.12	Revision Date 01/22/2021	Print Date 02/11/2022
	Causes serious eye irritation. Review section 2 of SDS to see all Treat symptomatically. Symptoms	
Carcinogenicity:		
IARC	No component of this product present equal to 0.1% is identified as probable human carcinogen by IARC.	
ACGIH	Confirmed animal carcinogen with un humans ethanol	known relevance to 64-17-5
OSHA	No component of this product present equal to 0.1% is on OSHA's list of reg	at levels greater than or ulated carcinogens.
NTP	No component of this product present equal to 0.1% is identified as a known by NTP.	
Acute toxicity		
Components:		
ethanol: Acute oral toxicity	: LD50 Oral Rat: 7,060 mg/kg	
Acute inhalation toxicity	: LC50 Rat: 124.7 mg/l Exposure time: 4 h Test atmosphere: vapour	
Skin corrosion/irritation		
Product:		
Result: No skin irritation		
Serious eye damage/eye irritati	ion	
Product:		
Remarks: Irritating to eyes.		
Respiratory or skin sensitisation	n	
No data available		
Germ cell mutagenicity		
No data available		
Carcinogenicity		
No data available		
Reproductive toxicity		
No data available		
STOT - single exposure		
No data available		

Version 2.12

Revision Date 01/22/2021

Print Date 02/11/2022

STOT - repeated exposure

No data available

Aspiration toxicity

No data available

Further information

Product:

Remarks: Solvents may degrease the skin.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

No data available

Persistence and degradability

No data available Bioaccumulative potential

Product:

	<u>i iouuci.</u>	
	Partition coefficient: n- octanol/water <u>Components:</u> ethanol : Partition coefficient: n-	: Remarks: No data available : Remarks: No data available
	octanol/water	
M	obility in soil	
No	o data available	
Ot	her adverse effects	
No	o data available <u>Product:</u>	
	Regulation	40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances
	Remarks	This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).
	Additional ecological information	: No data available

Version 2.12

Revision Date 01/22/2021

Print Date 02/11/2022

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues :	Do not dispose of waste into sewer. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of in accordance with local regulations.
Contaminated packaging :	Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. Do not burn, or use a cutting torch on, the empty drum.

SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA): UN1993, Flammable liquids, n.o.s., (ETHANOL), 3, III - Limited quantity

Transportation Regulation: IMDG (Vessel): UN1993, FLAMMABLE LIQUID, N.O.S., (ETHANOL), 3, III - Limited quantity

Transportation Regulation: IATA (Cargo Air): UN1993, Flammable liquid, n.o.s., (ETHANOL), 3, III - Limited quantity

Transportation Regulation: IATA (Passenger Air): UN1993, Flammable liquid, n.o.s., (ETHANOL), 3, III - Limited quantity

Transportation Regulation: TDG (Canada): UN1993, FLAMMABLE LIQUID, N.O.S., (ETHANOL), 3, III - Limited quantity

The product as delivered to the customer conforms to packaging requirements for shipment by road under US Department of Transportation (DOT) regulations. Additional transportation classifications noted above are for reference only, and not a certification or warranty of the suitability of the packaging for shipment under these alternative transport regulations.

SECTION 15. REGULATORY INFORMATION

TSCA list

: No substances are subject to a Significant New Use Rule.

The following substance(s) is/are subject to TSCA 12(b) export notification requirements: 1,2-bis(3-aminopropyl) 136504-96-6 ethylenediamine, polymer with N-butyl-2,2,6,6tetramethyl-4-piperidinamine and 2,4,6-trichloro-1,3,5triazine

EPCRA - Emergency Planning and Community Right-to-Know Act

Version 2.12

Revision Date 01/22/2021

Print Date 02/11/2022

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards	: Flammable (gases, aerosols, liquids, or solids) Serious eye damage or eye irritation
SARA 302	: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.
SARA 313	: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.
California Prop. 65	
	This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

The components of this product are reported in the following inventories:

DSLThis product contains one or more components that are listed on the
Canadian NDSL. All other components are on the Canadian DSL.TSCAOn TSCA Inventory

For information on the country notification status for other regions please contact the manufacturer's regulatory group.

Inventory Acronym and Validity Area Legend:

TSCA (USA), DSL (Canada), NDSL (Canada)

SECTION 16. OTHER INFORMATION

Version 2.12

Revision Date 01/22/2021

Print Date 02/11/2022

Further information

NFPA:



0 = not significant, 1 = Slight,

2 = Moderate, 3 = High

4 = Extreme

HMIS III:

HEALTH	2
FLAMMABILITY	3
PHYSICAL HAZARD	0

0 = not significant, 1 =Slight,

- 2 = Moderate, 3 = High
- 4 = Extreme, * = Chronic



Signal w ord Hazard statements Precautionary statements

Flame Exclamation mark

Warning: Flammable liquid and vapour. Causes serious eye irritation.

Prevention: Keep aw ay from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container tightly closed. Ground and bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Wash skin thoroughly after handling. Wear protective gloves/ eye protection/ face protection. **Response:** IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with w ater. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/ attention. In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

Storage: Store in a well-ventilated place. Keep cool.

Disposal: Dispose of contents/container in accordance with local regulation.

Version 2.12

Revision Date 01/22/2021

Print Date 02/11/2022

Version:	2.12
Revision Date:	01/22/2021
Print Date:	02/11/2022

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.