

SAFETY DATA SHEET

1. Identification			
Important information	*** This Safety Data Sheet is only authorised for use by HP for HP Original products. Any unauthorised use of this Safety Data Sheet is strictly prohibited and may result in legal action being taken by HP. ***		
Product identifier	HP LaserJet CF237A-X-Y-YC Print Cartridge		
Other means of identification	None.		
Recommended use	This product is a toner preparation that is used in HP LaserJet Enterprise M607, HP LaserJet Enterprise M608, HP LaserJet Enterprise M609, HP LaserJet Enterprise M631, HP LaserJet Enterprise M632, HP LaserJet Enterprise M633, HP LaserJet Managed E60055, HP LaserJet Managed E60065,HP LaserJet Managed E60075 series printers.		
Recommended restrictions	None known.		
Manufacturer/Importer/Supplier/	Distributor information		
	HP Inc.		
	1501 Page Mill Road		
	Palo Alto, CA 94304-1112		
	United States		
Telephone	650-857-1501		
HP Inc. health effects line			
(Toll-free within the US)	1-800-457-4209		
(Direct)	1-760-710-0048		
HP Inc. Customer Care Line			
(Toll-free within the US)	1-800-474-6836		
(Direct)	1-208-323-2551		
Email:	hpcustomer.inquiries@hp.com		
2. Hazard(s) identification			
Physical hazards	Not classified.		
Health hazards	Not classified.		
Environmental hazards	Not classified.		
OSHA defined hazards	Not classified.		
Label elements			
Hazard symbol	None.		
Signal word	None.		
Hazard statement	Not available.		
Precautionary statement			
Prevention	Not available.		
Response	Not available.		
Storage	Not available.		
Disposal	Not available.		
Hazard(s) not otherwise classified (HNOC)	None of the other ingredients in this preparation are classified as carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA.		
Supplemental information	This product is not classified as hazardous according to OSHA CFR 1910.1200 (HazCom 2012).		

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Polyester resin	Polyester resin	Trade Secret	<65
Material name: CF237A-X-Y-YC			SDS US

Chemical name	Common name and synonyms	CAS number	%
Iron oxide	Iron oxide	1317-61-9	<40
Amorphous silica	Amorphous silica	7631-86-9	<2
4. First-aid measures			
Inhalation	Move person to fresh air immediately. If irritat	ion persists, consult a physicia	n.
Skin contact	Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists.		
Eye contact	Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists, consult a physician.		
Ingestion	Rinse mouth with water. Drink one to two glasses of water. If symptoms occur, consult a physicial		ur, consult a physician.
Most important symptoms/effects, acute and delayed	Not available.		

5. Fire-fighting measures

6. Accidental release mea	None established.
Specific methods	
Fire fighting equipment/instructions	If fire occurs in the printer, treat as an electrical fire.
Special protective equipment and precautions for firefighters	Not available.
Specific hazards arising from the chemical	Like most organic material in powder form, toner can form explosive dust-air mixtures when finely dispersed in air.
Suitable extinguishing media Unsuitable extinguishing media	CO2, water, or dry chemical None known.

Personal precautions, protective equipment and emergency procedures	Minimize dust generation and accumulation.
Methods and materials for containment and cleaning up	Slowly vacuum or sweep the material into a bag or other sealed container. Clean remainder with a damp cloth or vacuum cleaner. If a vacuum is used, the motor must be rated as dust explosion-proof. Fine powder can form explosive dust-air mixtures. Dispose of in compliance with federal, state, and local regulations.
Environmental precautions	Do not flush into surface water or sanitary sewer system. See also section 13 Disposal considerations.
7. Handling and storage	
Precautions for safe handling	Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use with adequate ventilation. Keep away from excessive heat, sparks, and open flames.
Conditions for safe storage, including any incompatibilities	Keep out of the reach of children. Keep tightly closed and dry. Store at room temperature. Store away from strong oxidizers.

8. Exposure controls/personal protection

Occupational exposure limits

US. NIOSH: Pocket Guide	_	
Components	Туре	Value
Amorphous silica (CAS 7631-86-9)	TWA	6 mg/m3
Biological limit values	No biological exposure limits noted	for the ingredient(s).
Exposure guidelines	USA OSHA (TWA/PEL): 15 mg/m3	(Total Dust), 5 mg/m3 (Respirable Fraction)
	ACGIH (TWA/TLV): 10 mg/m3 (Inh	alable Particulate), 3 mg/m3 (Respirable Particulate)
	Amorphous silica: USA OSHA (TV mg/m3	VA/PEL): 20 mppcf 80 (mg/m3)/%SiO2, ACGIH (TWA/TLV): 10
	TRGS 900 (Luftgrenzwert) - 10 mg	/m3 (Einatembare partikel), 3 mg/m3 (Alveolengängige fraktion)

Appropriate engineering controls	Use in a well ventilated area.
Individual protection measures	, such as personal protective equipment
Eye/face protection	Not available.
Skin protection	
Hand protection	Not available.
Other	Not available.
Respiratory protection	Not available.
Thermal hazards	Not available.

9. Physical and chemical properties

••••••••••••••••••••••••••••••••••••••				
Appearance	Fine powder			
Physical state	Solid.			
Form	solid			
Color	Black.			
Odor	Slight plastic odor			
Odor threshold	Not available.			
рН	Not applicable			
Melting point/freezing point	Not available.			
Initial boiling point and boiling range	Not applicable			
Flash point	Not applicable			
Evaporation rate	Not available.			
Flammability (solid, gas)	Not available.			
Upper/lower flammability or explo	sive limits			
Flammability limit - lower (%)	Not flammable			
Flammability limit - upper (%)	Not available.			
Explosive limit - lower (%)	Not available.			
Explosive limit - upper (%)	Not available.			
Vapor pressure	Not applicable			
Vapor density	Not applicable			
Solubility(ies)				
Solubility (water)	Negligible in water. Partially soluble in toluene and xylene.			
Partition coefficient (n-octanol/water)	Not available.			
Auto-ignition temperature	No data available			
Decomposition temperature	>= 392 °F (>= 200 °C)			
Viscosity	Not applicable			
Other information				
Oxidizing properties	No information available.			
• ·	212 - 302 °F (100 - 150 °C)			
	1.4 - 1.8			
VOC	Not applicable			

10. Stability and reactivity

Reactivity	Not available.
Chemical stability	Stable under normal storage conditions.
Possibility of hazardous reactions	Will not occur.
Conditions to avoid	Imaging Drum: Exposure to light
Incompatible materials	Strong oxidizers

11. Toxicological information

Information on likely routes of e	exposure		
Inhalation	Under normal conditions of intended use, this material is not expected to be an inhalation hazard.		
Skin contact	Contact with skin may result in mild irritation.		
Eye contact	Contact with eyes may result in mild irritation.		
Ingestion	Ingestion is not a likely route of exposure.		
Symptoms related to the physical, chemical and toxicological characteristics	Not available.		
Information on toxicological effe	ects		
Acute toxicity	Based on available data, the classification criteria are not met.		
Skin corrosion/irritation	Based on available data, the classification criteria are not met.		
Serious eye damage/eye irritation	Based on available data, the classification criteria are not met.		
Respiratory or skin sensitization	n		
Respiratory sensitization	Based on available data, the classification criteria are not met.		
Skin sensitization	Based on available data, the classification criteria are not met.		
Germ cell mutagenicity	Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium) Based on available data, the classification criteria are not met.		
Carcinogenicity	Based on available data, the classification criteria are not met.		
IARC Monographs. Overall	Evaluation of Carcinogenicity		
Amorphous silica (CAS 7 OSHA Specifically Regulate Not listed.	 3 Not classifiable as to carcinogenicity to humans. 3 Substances (29 CFR 1910.1001-1053) 		
	ogram (NTP) Report on Carcinogens		
Reproductive toxicity	Based on available data, the classification criteria are not met.		
Specific target organ toxicity - single exposure	Based on available data, the classification criteria are not met.		
Specific target organ toxicity - repeated exposure	Based on available data, the classification criteria are not met.		
Aspiration hazard	Based on available data, the classification criteria are not met.		
Further information	Complete toxicity data are not available for this specific formulation Refer to Section 2 for potential health effects and Section 4 for first aid measures.		

12. Ecological information

Ecotoxicity	LL50: > 1000	mg/l, Fish, 96.00 Hours	
Product		Species	Test Results
CF237A-X-Y-YC			
Aquatic			
Algae	ErL50	Algae	> 1000 mg/l, 72 Hours
Crustacea	EL50	Crustacea	> 1000 mg/l, 48 Hours
Fish	LL50	Fish	> 1000 mg/l, 96 Hours
Persistence and degradability	Not available.		
Bioaccumulative potential	Not available.		
Mobility in soil	Not available.		
Other adverse effects	Not available.		

13. Disposal considerations

Disposal instructions

Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely
dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal,
state, and local regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit http://www.hp.com/recycle.

14. Transport information

DOT

DOI	
UN number	Not available.
UN proper shipping name	Not Regulated
Transport hazard class(es)	
Class	Not available.
Subsidiary risk	-
Packing group	Not available.
Environmental hazards	
Marine pollutant	No
Special precautions for user	Not available.
ΙΑΤΑ	
UN number	Not available.
UN proper shipping name	Not Regulated
Transport hazard class(es)	Not Rogalatoa
Class	Not available.
Subsidiary risk	NUL avallable.
Packing group	- Not available.
Environmental hazards	No No
Special precautions for user	
IMDG	
UN number	Not available.
UN proper shipping name	Not Regulated
Transport hazard class(es)	Not Regulated
Class	Not available.
	NUL avaliable.
Subsidiary risk	- Not available.
Packing group	NUL avaliable.
Transport hazard class(es)	Na
Marine pollutant EmS	No Not available.
Special precautions for user ADR	NUL avaliable.
UN number	Not available.
UN proper shipping name	Not Regulated
Transport hazard class(es)	
Class	Not available.
Subsidiary risk	-
Hazard No. (ADR)	Not available.
Tunnel restriction code	Not available.
Packing group	Not available.
Environmental hazards	No Not available
Special precautions for user	
Further information	None known.

15. Regulatory information

US federal regulations

US EPA TSCA Inventory: All chemical substances in this product comply with all rules or orders under TSCA.

Toxic Substances Control Act (TSCA)

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

	under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.
Regulatory information	All chemical substances in this HP product have been notified or are exempt from notification
Clean Air Act (CAA)	No intentionally added HAPS substances
Safe Drinking Water Act (SDWA)	Not regulated.
Not regulated.	
Clean Air Act (CAA) Sectio	n 112(r) Accidental Release Prevention (40 CFR 68.130)
No intentionally added H	IAP substances.
Clean Air Act (CAA) Sectio	n 112 Hazardous Air Pollutants (HAPs) List
Other federal regulations	
SARA 311/312 Hazardous chemical	Νο
Not listed.	
SARA 302 Extremely hazar	dous substance
Superfund Amendments and R	eauthorization Act of 1986 (SARA)
Not listed.	
5	ed Substances (29 CFR 1910.1001-1053)
Not regulated.	
SARA 304 Emergency relea	ase notification
Not listed.	
CERCLA Hazardous Subst	ance List (40 CFR 302.4)

16. Other information, including date of preparation or last revision

Issue date	17-Aug-2017
Revision date	18-Nov-2021
Version #	09
Other information	This SDS was prepared in accordance with USA OSHA Hazard Communications regulation (29 CFR 1910.1200).
Disclaimer	This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries. This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information
	contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs.

Explanation of abbreviations

ACGIH	American Conference of Governmental Industrial Hygienists
CAS	Chemical Abstracts Service
CERCLA	Comprehensive Environmental Response Compensation and Liability Act
CFR	Code of Federal Regulations
COC	Cleveland Open Cup
DOT	Department of Transportation
EPCRA	Emergency Planning and Community Right-to-Know Act (aka SARA)
IARC	International Agency for Research on Cancer
NIOSH	National Institute for Occupational Safety and Health
NTP	National Toxicology Program
OSHA	Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
RCRA	Resource Conservation and Recovery Act
REC	Recommended
REL	Recommended Exposure Limit
SARA	Superfund Amendments and Reauthorization Act of 1986
STEL	Short-Term Exposure Limit
TCLP	Toxicity Characteristics Leaching Procedure
TLV	Threshold Limit Value
TSCA	Toxic Substances Control Act
VOC	Volatile Organic Compounds