Material Safety Data Sheet

SABRE Red USA Civilian

May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910. 1200. Standard must be reviewed for specific requirements.

Quick Identifier 1/1/2011

SECTIO	N 1 - CHEMICAL PRODUCT & COMPA	ANY IDENTIFICATION		
Manufacturer's Name:	SECURITY EQUIPMENT CORPORATION	Emergency Phone Number:	800-325-9568	
Address:	747 SUN PARK DRIVE	Other Calls:	636-343-0200	
City, State, Zip	FENTON, MO 63026	Fax Number:	636-343-1318	
Chemical Name:	Oleoresin Capsicum (Red Pepper)	^{Model #'s:} 14-OC-US, KR-14-US, KR-14-US-02, FHP-01		
Chemical Family:	Irritant Agent	HC-14-BK-US, HC-14-BK-US-02, HC-14-PK-US, HC-NBCF-01,		
Trade Name:	SABRE Red USA Civilian	NRA-HC-01-TC,HC-NBCF-02, KR-NBCF-02, SPKC-BK-US,		
Common Name:	Pepper Spray, OC Spray	SPKC-PC-US, SPKC-GC-US, P-22-OC-US, P-22J-OC-US,		
P-22J-PK-US,	CY-35-US, SRU-HAPK, FHP-01, P-BX-HC-NBCF-01, NF	RA-HC-01-TC, NRA-MK-3-H, MK-3-AM	-US, LS-22-US	

Hazardous Component(s) (chemical & common name(s)	Content(s)	OSHA PEL	ACGIH TLV	Carcinigen (Yes / No)
Oleoresin Capsicum:	10%	N/A	N/A	No
Scoville Heat Units	1,000,000	N/A	N/A	No
Major Capsaicinoids	0.67%	N/A	N/A	No
Capsaicin CAS #404-86-4				
Nordihydrocapsaicin CAS #19408-84-5				
Dihydrocapsaicin CAS #28789-35				

Major Capsaicinoids are determined via A.O.A.C. Method 995.03. * Other ingredients are trade secrets as defined in Hazard Communications ACT 29 CFR 1910.1200 Para 1 (1) end Appendix D to CFR 1910.1200.

SECTION 3 - HAZARD IDENTIFICATION

SEVERE SKIN, EYE, RESPIRATORY & DIGESTIVE IRRITANT. CONTENTS UNDER PRESSURE. KEEP OUT OF THE REACH OF CHILDREN. DO NOT PUNCTURE OR INCINERATE CAN. DO NOT EXPOSE TO HEAT OR STORE ABOVE 120° F. DO NOT USE AFTER CANISTER'S EXPIRATION DATE. CONTENTS ARE DANGEROUS, USE WITH CARE.

HMIS Ratings: Health: 2 Fire: 1 Reactivity: 0

Signs & Symptoms Of Exposure: Ingredients cause irritation through all routes of entry.

EYE: Liquid or vapors may cause redness, burning, tearing, swelling and/or pain.

SKIN: Frequent or repeated contact with skin may cause burning, redness or skin irriation and dermatitis.

INGESTION: Ingestion may cause irritation to the mouth, throat and stomache, as well as nausea, vomiting, and/or diarrhea.

INHALATION: May cause irriation of the respiratory tract as coughing, sneezing, gagging, chest tightness and irritation to the throat and lungs.

MEDICAL CONDITIONS AGRAVATED: May cause more severe, temporary, effects on those persons

who are asthmatics or suffer from emphysema.

CARCINOGEN DATA: None of the Ingredients in this product are listed with OSHA, IARC or NTP as cacinogenic.

SECTION 4 - FIRST AID MEASURES

Remove victim from contaminated area and remove contaminated clothing. Provide fresh air, roceedures: irrigate with copious amounts of cool water. Obtain medical advice is symptoms persist.

	1. Inhala	Remove from contaminated area immediate. Provide fresh air. If breathing is difficult, administer oxygen. If the victim is not breathing, administer CPR. Seek immediate medical attention.
	2. Eyes:	Only exposed subject or EMS should remove subject's contact lenses. Irrigate with cool water for at least 15 minutes, or until relieved. Seek medical attention if irritation persists.
Routes Of Entry	3. Skin:	Flush with cool water for at least 15 minutes. Wash with mild soap and water. Seek medical attention if irritation persists.
	4. Ingest	DO NOT INDUCE VOMITING. If victim is conscious and not convulsing, rinse mouth with water. Ingest milk or water. Call 800-535-5053 or obtain medical advice immediately. If victim is convulsing or unconscious, do not give anything by mouth, ensure the victim's airway is open and lay the victim on his/her side with the head lower than the body. IMMEDIATELY transport the victum to a hospital.

L	/					
SECTION	5 - FIRE	E-FIGHTING MEASURES				
Flammability Ci 1500.45:	lassification 1	Non-Flammable; DO NOT USE with Electronic Immobilization Device				
	> 106° C (Auto-Ignition Temperature: 228° C (442° F)				
Extinguishing Media:	Halon, Cai	rbon Dioxide, Dry Chemical or Water				
Special Fire Fighting Procedures:	Wear resp	irator or self-contained breathing apparatus.				
Unusual Fire and Explosion Hazards:	Smoke wo	uld be irritating to eyes and mucous membranes. Containers may burst in the heat of a fire.				
SECTION	6 - ACC	IDENTAL RELEASE MEASURES				
Steps to follow if matereleased:	erial is spilled or	Wipe up small spills with absorbent material. With large spills, use respiratory equipment, to avoid irritation, and collect absorbent materials.				
If inside:		Ventilate area and after absorbent process, wash area with soap and cold water				
If outside:		Stay upwind				
Waste Disposal M	lethod:	Dispose of in accordance with current laws and regulations.				
SECTION	7 - HAN	DLING AND STORAGE				
Precautions to be take & storage:	en in handeling	Store upright in a cool, dry area. Avoid direct light and heat. DO NOT expose to temperatures over 120° F / 50° C. DO NOT puncture or incinerate container.				
Other Precautions:		Assure can is in a secure place to prevent accidental rupture.				
SECTION	8 - EXP0	OSURE CONTROLS AND PERSONAL PROTECTION				
Respiratory Protection		Not normally required in well-ventilated areas, however, NIOSH approved respiratory protection may be required when the material is used in confined areas. Avoid overexposure for long periods in enclosed areas.				
Ventilation:		Yes				
Protective Gloves:		Suggested (not required)				
Eye Protection:		Yes. Exposure without protection in training environment is acceptable.				
Other Protective Cloth Equipment:	ing or	Not required				
Work/Hygienic Practice		Avoid absorbtion of product on clothing. If absorbed in clothing, remove and wash clothes at once. Do not eat, drink, or smoke while handling product.				
Engineering Controls:		Provide ventilation if working in confined areas.				
SECTION 9	9 - PHYS	SICAL & CHEMICAL PROPERTIES				

Annearance &	N9-PHYSICAL &		Physical St	ate:
Odor:	Red/Orange in color.	Odor is pungent	, , , , ,	Liquid
Boiling Point:	230° C (446° F)	Specific Gravity (H20 = 1)	~0.95 @ 20° C	
Solubility in Water:	Soluble	Vapor Pressure:	100 PSI	

SECTION 10 - STABILITY AND REACTIVITY						
Stability	Unstable		Conditions To Avoid	Incompatibility (Materials To Avoid)	N/A	
	Stable	Х				
Hazardous Polymerization:	May Occur			Hazardous Decomposition Products:	N/A	
	Will Not Occur	X	Conditions To Avoid			

SECTION 11 - TOXICOLOGICAL INFORMATION

Standard Draize Test: Severity: Slightly Irritating

Skin, rabbit, 500 mg

Standard Draize Test: Severity: Mildly Irritating

Eye, rabbit, 100 mg

ACUTE INHALATION LC50 (rat): $> 100.5 \, \text{mg/L}$

SECTION 12 - ECOLOGICAL INFORMATION

This product has not been tested for environmental effects.

SECTION 13 - DISPOSAL CONSIDERATIONS

Waste Disposal Methods:

Consult Federal, State, and Local Regulations

Evacuate contents in a safe area, & dispose of container.

SECTION 14 - TRANSPORT INFORMATION

DOT HM-181 INFORMATION

	GROUND	<u>AIR (<120mL)</u>	AIR (>120mL)
Proper Shipping Name:	Consumer Commodity	Consumer Commodity	Aerosols, non-flammable
Hazzard Class or Division:	ORM-D	CLASS 9	2.2
Identification Number:	none	ID-8000	UN1950
Packaging Group:	none	none	none
Label(s) Required:	none	CLASS 9 LTD QTY	2.2

INTERNATIONAL TRANSPORTATION REGULATIONS

Regulations vary from country to country. Check regulations for your country.

	GROUND	AIR (<120mL)	AIR (>120mL)	<u>OCEAN</u>
Proper Shipping Name:	Consumer	Consumer	Aerosols, non-	Aerosols, non-
	Commodity	Commodity	flammable	flammable
Hazzard Class or Division:	ORM-D	CLASS 9	2.2	2.2
Identification Number:	none	ID-8000	UN1950	UN1950
Packaging Group:	none	none	none	none
Label(s) Required:	none	CLASS 9 LTD QTY	2.2	2.2

SECTION 15 - REGULATORY INFORMATION

TOXIC SUBSTANCES CONTROL ACT:	This product is in compliance with the U.S. Toxic Substances			
	Control Act (TSCA) inventory requirements.			
SARA TITLE III, SECTION 313:	Not Listed			
CLEAN AIR ACT (CAA):	Not Listed			
CLEAN WATER ACT (CWA):	Not Listed			
CALIFORNIA PROPOSITION 65:	Not Listed			
CANADIAN WORKPLACE HAZARDOUS N	MATERIALS INFORMATIONS SYSTEMS (WHMIS):	Not Listed		

SECTION 16 - OTHER INFORMATION

Format and Preparation Complies with ANSI Z400.1-1993

DISCLAIMER: The information contained herein is based upon data provided to us by our suppliers, and reflects our best judgement. However, no warranty of merchantability, fitness for any use, or any other warranty is expressed or immplied regarding the accuracy of such data, or the results to be obtained from the use thereof. Since the information contained herein may be applied under conditions beyond our control and with which we may be unfamiliar, we do not assume any responsibility for the results of such application. The information is furnished upon the condition that the persons receiving it shall make their own determination of the suitability of the material for any particular purpose.