Safety Data Sheet

SDS # : A-10168

Issuing Date 2016-08-18

Toner - Black

Revision Date 2021-01-19

Version 1

Page 1/8

Active

Product Identifier **Product Name** Toner for Xerox® VersaLink B7025 MFP, Xerox® VersaLink B7030 MFP, Xerox® VersaLink B7035 MFP 106R03392,106R03393, 106R03394, 106R03395, 106R03396 Part no. Color Black Pure substance/mixture Mixture Relevant identified uses of the substance or mixture and uses advised against **Recommended Use** Xerographic printing Details of the supplier of the safety data sheet Manufactured by Xerox Corporation Webster, NY 14580 For further information, please contact Manager, Environment, Health, Safety & Sustainability **Contact person** E-mail address askxerox@xerox.com **Emergency telephone** Safety Information US: (800) 275-9376 Chemical Emergency only (Chemtrec) (800) 424-9300 For the most current document https://safetysheets.business.xerox.com

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

2. HAZARDS IDENTIFICATION

Classification of the substance or mixture

Customer use / Cartridges and sealed bottles

OSHA Hazard Classification This product is an article which contains a mixture / preparation in powder form. Safety information is given for exposure to the article as sold and used by the customer. Intended use of the product is not expected to result in exposure to the mixture / preparation based on the packaging and method of dispensing.

While this material is not considered hazardous by the OSHA hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information for the safe handling and proper use of the product. This SDS should be retained and made available to employees and other users of this product.

Label elements

Signal Word



607E13410



SDS #: A-10168

Toner - Black

Page 2/8

Hazard Statements	None required
Precautionary Statements	None required

Other hazards

Not a PBT according to REACH Annex XIII May form explosible dust-air mixture if dispersed

3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixtures

Chemical Name	CAS No.	Weight %	Classification (Reg. 1272/2008)	Hazard Statements
Resin	Proprietary	60-80		
Wax	8002-74-2	5-15		
Carbon black	1333-86-4	1-10		
Amorphous silica	67762-90-7	1-10		
Titanium dioxide	13463-67-7	0.5-1.5		

"--" indicates no classification or hazard statements apply.

4. FIRST AID MEASURES

Description of first-aid measures

Description of mist-aid measures	
General advice	For external use only. When symptoms persist or in all cases of doubt seek medical advice.
	Show this material safety data sheet to the doctor in attendance.
Eye contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and
,	continue flushing for at least 15 minutes
Skin contact	Wash skin with soap and water
Inhalation	Move to fresh air
Ingestion	Rinse mouth with water and afterwards drink plenty of water or milk
Most important symptoms and eff	ects, both acute and delayed
Acute toxicity	
Eyes	No known effect
Skin	No known effect
Inhalation	No known effect
Ingestion	No known effect
Main symptoms	Overexposure may cause:
• •	mild respiratory irritation similar to nuisance dust.
Aggravated Medical Conditions	None under normal use conditions
Indication of immediate medical a	ttention and special treatment needed
Protection of first-aiders	No special protective equipment required
Notes to physician	Treat symptomatically

5. FIRE-FIGHTING MEASURES

Extinguishing media

Suitable extinguishing media Use water spray or fog; do not use straight streams, Foam **Unsuitable extinguishing media** Do not use a solid water stream as it may scatter and spread fire

Special hazards arising from the substance or mixture

Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion

xero

hazard

Hazardous combustion products

Hazardous decomposition products due to incomplete combustion, Carbon oxides, Nitrogen oxides (NOx)

Advice for fire-fighters

In the event of fire and/or explosion do not breathe fumes. Wear fire/flame resistant/retardant clothing. Use self-contained pressure-demand breathing apparatus if needed to prevent exposure to smoke or airborne toxins. Wear self-contained breathing apparatus and protective suit

Other information Flammability Flash point	Not flammable. Will not readily ignite. Not applicable
6. ACCIDENTAL RELEASE	MEASURES
Personal precautions, protective Avoid breathing dust	equipment and emergency procedures
Environmental precautions No special environmental preca	utions required
Methods and material for contain Methods for containment Methods for cleaning up	ment and cleaning up Prevent dust cloud Use a electrically protected vacuum cleaner to remove excess, then wash with COLD water. Hot water fuses the toner making it difficult to remove
	s product has not been fully investigated expected to present significant adverse environmental effects.
7. HANDLING AND STORA	GE
Precautions for safe handling Advice on safe handling	Handle in accordance with good industrial hygiene and safety practice, Avoid dust accumulation in enclosed space, Prevent dust cloud
Hygiene measures	None under normal use conditions
Conditions for safe storage, inclu Technical measures and stor Keep container tightly closed in	
Incompatible products	None
Specific end uses Xerographic printing	
8. EXPOSURE CONTROLS	PERSONAL PROTECTION

Control parameters Exposure Limits ACGIH TLV TWA ACGIH TLV TWA OSHA PEL TWA

10 mg/m³ (inhalable particles) 3 mg/m³ (respirable dust) 15 mg/m³ (total dust)



Page 4/8

OSHA PEL TWA	5 mg/m ³ (respirable dust)
Xerox Exposure Limit	2.5 mg/m ³ (total dust)
Xerox Exposure Limit	0.4 mg/m ³ (respirable dust)

Component Information

Chemical Name	ACGIH TLV	OSHA PEL
Wax	TWA: 2 mg/m ³	
Carbon black	TWA: 3 mg/m ³	TWA: 3.5 mg/m ³
Titanium dioxide	TWA: 10 mg/m ³	TWA: 15 mg/m ³

Exposure controls

Engineering measures

None under normal use conditions

Individual protection measures, such as personal protective equipment (PPE)

Eye/Face protection Hand protection Skin and body protection Respiratory protection Thermal hazards No special protective equipment required No special protective equipment required No special protective equipment required No special protective equipment required. None under normal processing

Environmental Exposure Controls

Environmental Exposure Keep out of drains, sewers, ditches and waterways Controls

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance Physical state Color	Powder Solid Black		Odor Odor threshold pH	Faint Not applicable Not applicable
Flash point		Not applicable		
Melting / Free Boiling point Softening po	/range	Not applicable Not applicable 49 - 60 °C /	120 - 140 °F	
Evaporation Flammability Flammability		Not applicable Not flammable. Will not r Not applicable	readily ignite.	
Vapor presso Vapor densit Specific grav Water solubi Partition coe Autoignition Decompositi Viscosity Explosive pro	y rity lity fficient temperature on temperature operties	Not applicable Not applicable ~ 1 Negligible Not applicable Not applicable Not determined Not applicable Fine dust dispersed in ai source is a potential dus Not applicable		ntrations, and in the presence of an ignition
Other informatio	<u>n</u>			

None



SDS #: A-10168

Toner - Black

Page 5/8

10. STABILITY AND REACTIVITY

Reactivity

No dangerous reaction known under conditions of normal use

Chemical stability

Stable under normal conditions.

Possibility of hazardous reactions

Hazardous reactions Hazardous polymerization

None under normal processing Hazardous polymerization does not occur

Conditions to avoid

Prevent dust cloud, Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard

Incompatible Materials

None

Hazardous decomposition products

None under normal use

11. TOXICOLOGICAL INFORMATION

The toxicity data noted below is based on the test results of similar reprographic materials.

Information on toxicological effects

Acute toxicity	
Product Information	
Irritation	No skin irritation, No eye irritation
Oral LD50	> 5 g/kg (rat)
Dermal LD50	> 5 g/kg (rabbit)
LC50 Inhalation	> 5 mg/L (rat, 4 hr)

. . .

Component Information

Chemical Name	LC50 Inhalation	Dermal LD50	Oral LD50
Wax		3600 mg/kg (Rabbit)	5000 mg/kg (Rat)
Carbon black		3 g/kg (Rabbit)	15400 mg/kg (Rat)
Titanium dioxide			10000 mg/kg (Rat)

Chronic toxicity

No sensitization responses were observed No information available None known

CMR Effects

Mutagenic effects	
-------------------	--

	Mutagenic effects	Not mutagenic in AMES Test This product does not contain any known or suspected reproductive hazards See "Other Information" in this section.		
	Reproductive toxicity			
	Carcinogenicity			
	Chemical Name		NTP	IARC
	Carbon black			2B
Γ	Titanium dioxide			2B

Other information

The IARC (International Agency for Research on Cancer) has listed carbon black as "possibly carcinogenic to humans". However, Xerox has concluded that the presence of carbon black in this mixture does not present a health hazard. The IARC classification is based on studies evaluating pure, "free" carbon black. In contrast, toner is a formulation composed of specially prepared polymer and a small amount of carbon black (or other pigment). In the process of making toner, the small amount of



SDS # : A-10168

Page 6/8

carbon black becomes encapsulated within a matrix. Xerox has performed extensive testing of toner, including a chronic bioassay (test for potential carcinogenicity). Exposure to toner did not produce evidence of cancer in exposed animals. The results were submitted to regulatory agencies and published extensively.

The IARC (International Agency for Research on Cancer) has listed titanium dioxide as "possibly carcinogenic to humans". However, Xerox has concluded that the presence of titanium dioxide in this mixture does not present a health hazard. The IARC classification is based on studies in rats using high concentrations of pure, unbound TiO₂ particles of respirable size. The Titanium Dioxide Industry REACH Consortium has concluded that these effects were species-specific, attributable to lung overload and not specific to TiO₂, i.e. similar effects would also be seen for other low solubility dusts. Toxicological and epidemiological studies do not suggest a carcinogenic effects in humans. In addition, the titanium dioxide in this mixture is encapsulated in a matrix or bound to the surface of the toner.

Other toxic effectsNot applicableAspiration HazardNot applicableOther adverse effectsNone known

11.2 Information on other hazards

Endocrine disrupting properties No information available

12. ECOLOGICAL INFORMATION

Toxicity

On available data, the mixture / preparation is not harmful to aquatic life

Component Information

Che	emical Name	Toxicity to algae	Toxicity to fish	Toxicity to microorganisms	Toxicity to daphnia and other aquatic invertebrates
Ca	arbon black				EC50 > 5600 mg/L 24 h

Persistence and degradability

Not readily biodegradable

Bioaccumulative potential

Bioaccumulation is unlikely

Mobility in soil

Insoluble in water

Results of PBT and vPvB assessment

This substance is not considered to be persistent, bioaccumulating nor toxic (PBT)

Endocrine disrupting properties

This product does not contain any known or suspected endocrine disruptors

Other adverse effects

13. DISPOSAL CONSIDERATIONS					
<u>Waste treatment methods</u> Waste Disposal Methods	Can be landfilled or incinerated, when in compliance with local regulations If incineration is to be carried out, care must be exercised to prevent dust clouds forming.				
Contaminated packaging	No special precautions are needed in handling this material				
Other information	Although toner is not an aquatic toxin, microplastics may be a physical hazard to aquatic life and should not be allowed to enter drains, sewers, or waterways.				



14. TRANSPORT INFORMATION

This material is not subject to regulation as a hazardous material for shipping

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

OSHA Regulatory Status

This product is an article which contains a mixture / preparation in powder form. Safety information is given for exposure to the article as sold and used by the customer. Intended use of the product is not expected to result in exposure to the mixture / preparation based on the packaging and method of dispensing.

While this material is not considered hazardous by the OSHA hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information for the safe handling and proper use of the product. This SDS should be retained and made available to employees and other users of this product.

<u>Canada</u>

This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations (HPR), and the SDS contains all the information required by the HPR.

International Inventories

TSCA	Complies
DSL/NDSL	Complies

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372 **Clean Water Act**

This product is not regulated as a pollutant pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)

This product is not regulated as a hazardous air pollutant (HAPS) under Section 112 of the Clean Air Act Amendments of 1990. CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

Carbon black is regulated under California Proposition 65 only if in the form of "airborne, unbound particles of respirable size". Toner products do not contain carbon black in the form of "airborne, unbound particles of respirable size". Therefore, the requirements of Proposition 65 do not apply to this product.

Titanium dioxide is regulated under California Proposition 65 only if a product results in exposure in the form of "airborne, unbound particles of respirable size". Toner products do not result in exposure to titanium dioxide in the form of "airborne, unbound particles of respirable size". Therefore, the requirements of Proposition 65 do not apply to this product.

Chemical Name	CAS No.	California Prop. 65
Carbon black	1333-86-4	Carcinogen
Titanium dioxide	13463-67-7	Carcinogen

U.S. State Right-to-Know Regulations

Although this product contains substances included in some U.S. State Right-to-Know regulations, the particles are bound in a unique matrix and, therefore, the product does not pose any specific hazard.



Toner - Black

Page 8/8

16. OTHER INFORMATION

Issuing Date	2016-08-18
Revision Date	2021-01-19
Revision Note	Update to Format

Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

end