

# **Safety Data Sheet**

<b>SDS #</b> : B-20026			Developer -	Black		
Issuing Date 2016-08-22		Revision Date 2016-08-23			Version 1	
						Active
1. Product and	Company Ide	entificatio	on			
Trade Name Developer		for Xerox® VersaLink B7025 MFP, Xerox® VersaLink MFP, Xerox® VersaLink B7035 MFP		k B7030		
Part no. 113R00	0779					
Color Pure substance/mixture		Black Mixture				
Identified uses		Xerographic printing				
Manufactured by		Xerox Corp Rochester,				
Emergency telephone		Safety Information US: (800) 275-9376 Chemical Emergency only (Chemtrec) (800) 424-9300				
2. HAZARDS ID	ENTIFICATIO	ON				
The product conta	ins no substanc		Emergency C the form utilized hazardous to	and at their given of	concentrations, are consid	dered to be
<b>Color</b> Black		Appear Powo		Physical state Solid	<b>Odor</b> Faint	
Classification	of the subst	ance or n	nixture_			
Customer use /	Cartridoes ar	nd sealed	bottles			
OSHA Hazard Cla	-			n contains a mixture /	preparation in powder form.	Safety

**OSHA Hazard Classification** This product is an article which contains a mixture / preparation in powder form. Safety information is given for exposure to the article as sold and used by the customer. Intended use of the product is not expected to result in exposure to the mixture / preparation based on the packaging and method of dispensing.

While this material is not considered hazardous by the OSHA hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information for the safe handling and proper use of the product. This SDS should be retained and made available to employees and other users of this product.

|--|

Signal Word	None
Hazard Statements	None required



SDS #: B-20026

### **Developer - Black**

Page 2/7

#### None required **Precautionary Statements Potential Health Effects Principle Routes of Exposure** Inhalation **Acute Toxicity** No known effect Eyes Skin No known effect Inhalation No known effect No known effect Ingestion Chronic effects No known effects under normal use conditions Chronic toxicity Main symptoms Overexposure may cause: mild respiratory irritation similar to nuisance dust. Aggravated Medical Conditions None under normal use conditions Environmental hazard The environmental impact of this product has not been fully investigated. However, this preparation is not expected to present significant adverse environmental effects.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	Weight %
Ferrite	66402-68-4	80-90
Resin	Proprietary	<5
Carbon Black	1333-86-4	0.1-1

4.	FIRST	AID MEASURE	S
----	-------	-------------	---

General advice	For external use only. When symptoms persist or in all cases of doubt seek medical advice. Show this material safety data sheet to the doctor in attendance.		
Eye contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes		
Skin contact	Wash skin with soap and water		
Inhalation	Move to fresh air		
Ingestion Rinse mouth with water and afterwards drink plenty of water or milk			
Notes to physician	Treat symptomatically		
Protection of first-aiders	No special protective equipment required		

### 5. FIRE-FIGHTING MEASURES

Flammable properties	Not flammable. Will not readily ignite
Flash point	Not applicable
Suitable extinguishing media	Use water spray or fog; do not use straight streams, Foam
Unsuitable extinguishing media	Do not use a solid water stream as it may scatter and spread fire

#### Specific hazards arising from the chemical

Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard



SDS #: B-20026

**Developer - Black** 

Page 3/7

#### Hazardous combustion products

Explosion Data

Sensitivity to Mechanical Impact Sensitivity to Static Discharge Hazardous decomposition products due to incomplete combustion, Carbon oxides, Nitrogen oxides (NOx)

Not impact sensitive Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard

#### **Protective Equipment and Precautions for Firefighters**

In the event of fire and/or explosion do not breathe fumes. Wear fire/flame resistant/retardant clothing. Use self-contained pressure-demand breathing apparatus if needed to prevent exposure to smoke or airborne toxins.

Personal Precautions	Avoid breathing dust			
Environmental Precautions	vironmental Precautions No special environmental precautions required			
Methods for containment	Prevent dust cloud			
Methods for cleaning up	Prevent dust cloud, Sweep up or vacuum up spillage and collect in suitable container fo disposal, Use non-sparking tools and equipment			
Other information	The environmental impact of this product has not been fully investigated, However, this preparation is not expected to present significant adverse environmental effects			

Advice on safe handling	Handle in accordance with good industrial hygiene and safety practice, Avoid dust accumulation in enclosed space, Prevent dust cloud
Technical measures and storage conditions	Keep container tightly closed in a dry and well-ventilated place, Store at room temperature
Hygiene measures	None under normal use conditions

...

### 8. Exposure Controls/Personal Protection

Exposure guidelines Product Information	No information available
ACGIH TLV TWA	10 mg/m <sup>3</sup> (inhalable particles)
ACGIH TLV TWA	3 mg/m <sup>3</sup> (respirable dust)
OSHA PEL TWA	15 mg/m <sup>3</sup> (total dust)
OSHA PEL TWA	5 mg/m <sup>3</sup> (respirable dust)
Xerox Exposure Limit	2.5 mg/m <sup>3</sup> (total dust)
Xerox Exposure Limit	0.4 mg/m <sup>3</sup> (respirable dust)

#### Other information

The results obtained from a Xerox sponsored Chronic Toner Inhalation Study demonstrated no lung changes in rats for the lowest (1 mg/m<sup>3</sup>) exposure level (the level most relevant to potential human exposure). A very slight degree of fibrosis was noted in 25% of animals at the middle (4mg/m<sup>3</sup>) exposure level, while a slight degree of fibrosis was noted in all the animals at the highest (16 mg/m<sup>3</sup>) exposure level. These findings are attributed to "lung overloading", a generic response to excessive amounts of any dust retained in the lungs for a prolonged period. This study was conducted using a special test toner to comply with an EPA testing protocol.

### Occupational exposure controls



Page 4/7

Engineering measures

None under normal use conditions

### **Personal Protective Equipment**

### Customer use / Cartridges and sealed bottles

Respiratory protection	No special protective equipment required
Eye/Face protection	No special protective equipment required
Skin and body protection	No special protective equipment required
Hand protection	No special protective equipment required

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Odor threshold pH Flash point Softening point	Powder Not applicable Not applicable Not applicable 49 - 60 °C	1	120 - 140 °F	Odor Physical state Color Boiling point/range Autoignition temperature	Faint Solid Black Not applicable Not applicable
Flammability Lim	iits in Air	Not ap	plicable		
Explosive properties Vapor pressure Vapor density Water solubility Viscosity Partition coefficient Evaporation rate Melting point/range Freezing point Decomposition temperature Specific gravity		source Not ap Not ap Not ap Not ap Not ap Not ap Not de Not ap	is a potential dus plicable plicable	ir, in sufficient conce st explosion hazard	entrations, and in the presence of an ignition

## 10. STABILITY AND REACTIVITY

Reactivity	No dangerous reaction known under conditions of normal use	
Stability	Stable under normal conditions	
Incompatible products	None	
Conditions to Avoid	Prevent dust cloud, Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard	
Hazardous Decomposition Products None under normal use		
Hazardous polymerization	Hazardous polymerization does not occur	
Hazardous reactions	None under normal processing	



Page 5/7

#### 11. Toxicological Information

The toxicity data noted below is based on the test results of similar reprographic materials.

Acute Toxicity Product Information Irritation Oral LD50 Dermal LD50 LC50 Inhalation	> 5 g/kg > 5 g/kg		
Eyes	No known	effect	
Skin	No known	effect	
Inhalation	No known	effect	
Ingestion	No known	effect	
Chronic toxicity			
Product Information			
Chronic effects	No known	effects under normal use conditions	
Main symptoms	Overexposure may cause: mild respiratory irritation similar to nuisance dust.		
Aggravated Medical Conditions	None under normal use conditions		
Carcinogenicity	See "Othe	r Information" in this section.	
Chemical Name		IARC	NTP
Carbon Black		2B	

### Other information

The IARC (International Agency for Research on Cancer) has listed carbon black as "possibly carcinogenic to humans". The classification is based on studies evaluating pure, "free" carbon black. In contrast, toner is a formulation composed of specially prepared polymer and a small amount of carbon black (or other pigment). In the process of making toner, the small amount of carbon black becomes encapsulated within a matrix. Xerox has performed extensive testing of toner, including a chronic bioassay (test for potential carcinogenicity). Exposure to toner did not produce evidence of cancer in exposed animals. The results were submitted to regulatory agencies and published extensively.

### Other toxic effects

Product Information Sensitization	No sensitization responses were observed		
Mutagenic effects	Not mutagenic in AMES Test		
Target organ effects	None known		
Other adverse effects	None known		
Aspiration Hazard	Not applicable		

### 12. Ecological Information

#### Ecotoxicity

The environmental impact of this product has not been fully investigated. However, this preparation is not expected to present significant adverse environmental effects.



**SDS # :** B-20026

**Developer - Black** 

Page 6/7

Waste Disposal Methods	This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.
Contaminated packaging	Dispose of in accordance with local regulations.

Note

This material is not subject to regulation as a hazardous material for shipping

### 15. REGULATORY INFORMATION

#### **OSHA Regulatory Status**

This product is an article which contains a mixture / preparation in powder form. Safety information is given for exposure to the article as sold and used by the customer. Intended use of the product is not expected to result in exposure to the mixture / preparation based on the packaging and method of dispensing.

While this material is not considered hazardous by the OSHA hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information for the safe handling and proper use of the product. This SDS should be retained and made available to employees and other users of this product.

### International Inventories

TSCA	Complies
DSL/NDSL	Complies

### U.S. Federal Regulations

#### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372 **Clean Water Act** 

This product is not regulated as a pollutant pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

#### Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)

This product is not regulated as a hazardous air pollutant (HAPS) under Section 112 of the Clean Air Act Amendments of 1990. CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

#### TSCA

TSCA 12(b) does not apply to this product.

### US State Regulations

### California Proposition 65

Carbon black is regulated under California Proposition 65 only if the form of "airborne, unbound particles of respirable size". Ink granule products do not contain carbon black in the form of "airborne, unbound particles of respirable size". Therefore, the requirements of Proposition 65 do not apply to this product.

Chemical Name	CAS No.	California Prop. 65
Carbon Black	1333-86-4	Carcinogen



Page 7/7

### U.S. State Right-to-Know Regulations

Although this product contains substances included in some U.S. State Right-to-Know regulations, the particles are bound in a unique matrix and, therefore, the product does not pose any specific hazard.

### <u>Canada</u>

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all the information required by the CPR.

16. OTHER INFORMATION	
Issuing Date	2016-08-22
Revision Date	2016-08-23
Revision Note	Initial Release

#### Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

end