

SAFETY DATA SHEET

1. Identification	
Important information	*** This Safety Data Sheet is only authorised for use by HP for HP Original products. Any unauthorised use of this Safety Data Sheet is strictly prohibited and may result in legal action being taken by HP. ***
Product identifier	HP LaserJet CF280A-X-XC-XD-XF Print Cartridge
Other means of identification	None.
Recommended use	This product is a toner preparation that is used in HP LaserJet Pro 400 M401, HP LaserJet Pro 400 MFP M425 series printers.
Recommended restrictions	None known.
Manufacturer/Importer/Supplier	/Distributor information
	HP Inc.
	1501 Page Mill Road
	Palo Alto, CA 94304-1112
	United States
Telephone	650-857-1501
HP Inc. health effects line	
(Toll-free within the US)	1-800-457-4209
(Direct)	1-760-710-0048
HP Inc. Customer Care Line	
(Toll-free within the US)	1-800-474-6836
(Direct)	1-208-323-2551
Email:	hpcustomer.inquiries@hp.com
2. Hazard(s) identification	l
Physical hazards	Not classified.
Health hazards	Not classified.
Environmental hazards	Not classified.
OSHA defined hazards	Not classified.
Label elements	
Hazard symbol	None.
Signal word	None.
Hazard statement	Not available.
Precautionary statement	
Prevention	Not available.
Response	Not available.
Storage	Not available.
Disposal	Not available.
Hazard(s) not otherwise classified (HNOC)	None of the other ingredients in this preparation are classified as carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Styrene acrylate copolymer		CBI	<55
Ferrite including zinc		CBI	<50

Chemical name	Common name and synonyms	CAS number	%	
Amorphous silica	Amorphous silica	7631-86-9	<3	
4. First-aid measures				
Inhalation	Move person to fresh air immediately. If irrita	ation persists, consult a physician.		
Skin contact	Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists.			
Eye contact	Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists, consult a physician.			
Ingestion	Rinse mouth out with water. Drink one to two glasses of water. If symptoms occur, consult a physician.			
Most important symptoms/effects, acute and delayed	Not available.			
5. Fire-fighting measures				
Suitable extinguishing media	CO2, water, or dry chemical			
Unsuitable extinguishing media	None known.			
Specific hazards arising from the chemical	Like most organic material in powder form, toner can form explosive dust-air mixtures when finely dispersed in air.			
Special protective equipment and precautions for firefighters	Not available.			
Fire fighting equipment/instructions	If fire occurs in the printer, treat as an electrical fire.			
Specific methods	None established.			
6. Accidental release mea	sures			
Personal precautions, protective equipment and emergency procedures	Minimize dust generation and accumulation			
Methods and materials for containment and cleaning up	Slowly vacuum or sweep the material into a damp cloth or vacuum cleaner. If a vacuum explosion-proof. Fine powder can form explored federal, state, and local regulations.	is used, the motor must be rated a	is dust	
Environmental precautions	Do not flush into surface water or sanitary sewer system. See also section 13 Disposal considerations.			
7. Handling and storage				
Precautions for safe handling	Keep out of the reach of children. Avoid inha adequate ventilation. Keep away from excess			
Conditions for safe storage, including any incompatibilities	Keep out of the reach of children. Keep tightly closed and dry. Store at room temperature. Store away from strong oxidizers.			
8. Exposure controls/pers	onal protection			
Occupational exposure limits US. NIOSH: Pocket Guide to				
Components	Туре	Value		
Amorphous silica (CAS 7631-86-9)	TWA	6 mg/m3		
Biological limit values Exposure guidelines	No biological exposure limits noted for the ir USA OSHA (TWA/PEL): 15 mg/m3 (Total D	,	ו)	
-	ACGIH (TWA/TLV): 10 mg/m3 (Inhalable Pa			
	Amorphous silica: USA OSHA (TWA/PEL): mg/m3	20 mppcf 80 (mg/m3)/%SiO2, AC	GIH (TWA/TLV): 10	
	TRGS 900 (Luftgrenzwert) - 10 mg/m3 (Fina	atembare partikel) 3 mg/m3 (Alver	olengängige fraktion	

TRGS 900 (Luftgrenzwert) - 10 mg/m3 (Einatembare partikel), 3 mg/m3 (Alveolengängige fraktion)

Individual protection measures, such as personal protective equipment Eye/face protection Not available. Skin protection Not available.
Skin protection
•
Hand protection Not available.
Other Not available.
Respiratory protection Not available.
Thermal hazards Not available.

9. Physical and chemical properties

Physical state Solid. Form solid. Form solid. Color Black. Odor Slight plastic odor Odor Slight plastic odor Odor Not available. OH Not available. Initial boiling point and boiling ange Not available. Statist point Not applicable Itals point Not applicable Statist point Not available. Statist point Not available. Statist point Not available. Statist point - lower (%) Not available. (%) Not available. Flammability limit - upper (%) Not available. (%) Not available. <	•••••••••••••••••••••••••••••••••••••••	F F
Form solid Color Black. Odor Black. Odor Slight plastic odor Odor threshold Not available. Odor threshold Not available. Melting point and boiling anger Not available. Islah point Not applicable Vaporation rate Not applicable Islah point Not applicable Islah point Not applicable Islamability (solid, gas) Not available. Islamability limit - lower Not available. Islamability limit - lower (%) Not available. Islapporersure Not available. Islappore resure Not available. Islappore resure Not available. Islappore resure Not available. Islapplicable Not available. Islappore resure Not available. Islapplicable Not ava	Appearance	Fine powder
Color Black. Odor Sight plastic odor Not available. Not available. Image: Not available. Not available. Parlow Porsure Not available. Ramability limit - lower (Not available. Not available. Parlow Porsure Not available. Not available. Rapor density - Not available. Not available. Not available. Not available. Parlow Porsure Not available. Not available. <	Physical state	Solid.
Delay Sight place odor Not available. Not available. V → Vot available.	Form	solid
Dotor threshold Not available. bH Not applicable Adelting point/freezing point Not available. Initial boiling point and boiling arge Not available. ital sholling point and boiling arge Not applicable ital sholling point and boiling arge Not available. ital sholling point and boiling arge Not available. ital sholling point it upper (%) Not available. ital sholling limit - lower (%) Not available. ital sholling point it upper (%) Not available. ital sholling (water) Not available. ital sholling (water) Not available. solubility	Color	Black.
H Notapplicable Notapplicable Notavailable. Notapplicable Notavailable. Notapplicable Notavailable. Notavailable. Notavailable. Notavaila	Odor	Slight plastic odor
Add ting point/freezing point Not available. nitial boiling point and boiling ange Not applicable stapport Not applicable stapport Not available. stapport Not available. stapport Not available. Jammability limit - lower (%) Not available. Flammability limit - lower (%) Not available. Flammability limit - lower (%) Not available. Flammability limit - lower (%) Not available. Flammability limit - lower (%) Not available. Flammability limit - lower (%) Not available. faile	Odor threshold	Not available.
Not applicable Not applicable arge Not applicable Page Partion rate Not applicable Evaporation rate Not applicable Page Partion rate Not available. Jpper/lower flammability or exploration rate Not available. Jpper/lower flammability imit - lower Not flammable (%) Not available. Flammability limit - lower Not available. (%) Not available. Explosive limit - lower (%) Not available. (%) Not available. Explosive limit - lower (%) Not available. (%) Not available. Explosive limit - lower (%) Not available. (%) Not available. (%) Not applicable Apor density Not applicable Solubility(water) Negligible in water. Partially soluble in toluene and xylene. Partition coefficient n-octarol/water) Not applicable Auto-ignition temperature > 392 °F (> 200 °C) //iscosity Not applicable Decomposition temperature > 392 °F (> 200 °C) //iscosity No information available. </th <th>рН</th> <th>Not applicable</th>	рН	Not applicable
ange Not applicable Plash point Not applicable Evaporation rate Not applicable Plammability (solid, gas) Not available. Jpper/lower flammability or explosive limits Not available. Flammability limit - lower Not flammable (%) Not available. Flammability limit - upper Not available. (%) Not available. flammability limit - upper Not available. (%) Not available. flammability limit - upper (%) Not available. Appor pressure Not applicable /apor density Not applicable Solubility (water) Negligible in water. Partially soluble in toluene and xylene. Partition coefficient nocotanol/water) Not applicable Vato-ignition temperature Not applicable Auto-ignition temperature > 392 °F (> 200 °C) //iscosity Not applicable Deter information > 392 °F (> 200 °C) //iscosity Not information available. Oxidizing properties No information available. Oxidizing properties No information available. Oxi	Melting point/freezing point	Not available.
Even Partion rateNot applicableNot available.Not available.Image: space spa	Initial boiling point and boiling range	Not applicable
Hammability (solid, gas) Not available. Jpper/lower flammability or explosive limits Not flammable Flammability limit - lower (%) Not flammable Flammability limit - upper (%) Not available. Flammability limit - lower (%) Not available. Explosive limit - lower (%) Not available. Explosive limit - upper (%) Not available. Apor density Not applicable Solubility(iws) Not applicable Solubility (water) Negligible in water. Partially soluble in toluene and xylene. Partition coefficient Not available. Not available. Not available. Partition coefficient Not available. Not available. Not available. Partition coefficient Not available. Not available. Not available. Partition coefficient Not applicable Not available. Not available. Partition coefficient Not applicable Not available. Not available. Partition coefficient Not applicable Not available. Not available. Partition coefficient Not available. <t< th=""><th>Flash point</th><th>Not applicable</th></t<>	Flash point	Not applicable
Upper/lower flammability or explosive limits Not flammable Flammability limit - lower Not flammable (%) Not available. Flammability limit - lower (%) Not available. Explosive limit - lower (%) Not available. Explosive limit - upper (%) Not available. //apor pressure Not available. //apor density Not applicable Solubility(ies) Vot applicable Solubility (water) Negligible in water. Partially soluble in toluene and xylene. Partition coefficient n-octanol/water) Not applicable Auto-ignition temperature Not applicable Objectory > 392 °F (> 200 °C) /iscosity Not applicable Oxidizing properties No information available. Oxidizing properties No information available.	Evaporation rate	Not applicable
Flammability limit - lower (%)Not flammableFlammability limit - upper (%)Not available.Flammability limit - lower (%)Not available.Explosive limit - lower (%)Not available.Kapor pressureNot available./apor densityNot applicableSolubility (water)Negligible in water. Partially soluble in toluene and xylene.Partition coefficient n-octanol/water)Not applicableAuto-ignition temperatureNot applicableDecomposition temperature (iscosity)> 392 °F (> 200 °C)Not applicableNot applicableDeter information Oxidizing propertiesNo information available.Softening point212 - 302 °F (100 - 150 °C)	Flammability (solid, gas)	Not available.
(%)Not available.Flammability limit - upperNot available.Explosive limit - lower (%)Not available.Explosive limit - upper (%)Not available.Autor generativeNot applicableSolubility (water)Negligible in water. Partially soluble in toluene and xylene.Partition coefficient n-octanol/water)Not applicableNot applicableNot available.Vator-ignition temperature /iscosityNot applicableObter information Oxidizing properties Softening pointNot information available.Oxidizing properties Softening pointNot information available.	Upper/lower flammability or exp	losive limits
(%) Explosive limit - lower (%) Not available. Explosive limit - upper (%) Not available. /apor pressure Not applicable /apor density Not applicable Solubility(ies) Solubility (water) Negligible in water. Partially soluble in toluene and xylene. Partition coefficient Not available. Partition coefficient Not available. Not available. Not available. Not available. Not applicable Not		Not flammable
Explosive limit - upper (%)Not available.Zapor pressureNot applicableZapor densityNot applicableSolubility(ies)Solubility (water)Negligible in water. Partially soluble in toluene and xylene.Partition coefficientNot available.n-octanol/water)Not applicableAuto-ignition temperatureNot applicableDecomposition temperature> 392 °F (> 200 °C)/iscosityNot applicableOxidizing propertiesNo information available.Softening point212 - 302 °F (100 - 150 °C)		Not available.
Vapor pressureNot applicableVapor densityNot applicableSolubility(ies)Negligible in water. Partially soluble in toluene and xylene.Solubility (water)Negligible in water. Partially soluble in toluene and xylene.Partition coefficient n-octanol/water)Not available.Auto-ignition temperature Decomposition temperatureNot applicableSolubility (water)Not applicableDecomposition temperature /iscosityNot applicableOther information Oxidizing properties Softening pointNo information available.Softening point212 - 302 °F (100 - 150 °C)	Explosive limit - lower (%)	Not available.
Vapor densityNot applicableSolubility(ies)Negligible in water. Partially soluble in toluene and xylene.Solubility (water)Negligible in water. Partially soluble in toluene and xylene.Partition coefficient n-octanol/water)Not available.Auto-ignition temperature Decomposition temperatureNot applicableSolubility (water)Not applicableOecomposition temperature ViscosityNot applicableOther information Oxidizing properties Softening pointNo information available.Softening point212 - 302 °F (100 - 150 °C)	Explosive limit - upper (%)	Not available.
Solubility(ies) Negligible in water. Partially soluble in toluene and xylene. Partition coefficient Not available. n-octanol/water) Not available. Auto-ignition temperature Not applicable Decomposition temperature > 392 °F (> 200 °C) /iscosity Not applicable Other information No information available. Oxidizing properties No information available. Softening point 212 - 302 °F (100 - 150 °C)	Vapor pressure	Not applicable
Solubility (water)Negligible in water. Partially soluble in toluene and xylene.Partition coefficient n-octanol/water)Not available.Auto-ignition temperatureNot applicableDecomposition temperature> 392 °F (> 200 °C)ViscosityNot applicableOther information Oxidizing propertiesNo information available.Softening point212 - 302 °F (100 - 150 °C)	Vapor density	Not applicable
Partition coefficient n-octanol/water)Not available.Auto-ignition temperatureNot applicableDecomposition temperature> 392 °F (> 200 °C)ViscosityNot applicableOther information Oxidizing propertiesNo information available.Softening point212 - 302 °F (100 - 150 °C)	Solubility(ies)	
n-octanol/water) Auto-ignition temperature Not applicable Decomposition temperature > 392 °F (> 200 °C) /iscosity Not applicable Other information Oxidizing properties No information available. Softening point 212 - 302 °F (100 - 150 °C)	Solubility (water)	Negligible in water. Partially soluble in toluene and xylene.
Decomposition temperature > 392 °F (> 200 °C) /iscosity Not applicable Other information	Partition coefficient (n-octanol/water)	Not available.
Viscosity Not applicable Other information No information available. Oxidizing properties No information available. Softening point 212 - 302 °F (100 - 150 °C)	Auto-ignition temperature	Not applicable
Other informationOxidizing propertiesNo information available.Softening point212 - 302 °F (100 - 150 °C)	Decomposition temperature	> 392 °F (> 200 °C)
Oxidizing propertiesNo information available.Softening point212 - 302 °F (100 - 150 °C)	Viscosity	Not applicable
Softening point 212 - 302 °F (100 - 150 °C)	Other information	
	Oxidizing properties	No information available.
	Softening point	
Specific gravity 1.4 - 1.8	Specific gravity	1.4 - 1.8
VOC Not applicable	VOC	Not applicable

10. Stability and reactivity

Reactivity	Not available.
Chemical stability	Stable under normal storage conditions.
Possibility of hazardous reactions	Will not occur.
Conditions to avoid	Imaging Drum: Exposure to light
Incompatible materials	Strong oxidizers

11. Toxicological information

Information on likely routes of exposure

Inhalation	Under normal conditions of intended use, this material is not expected to be an inhalation hazard.
Skin contact	Contact with skin may result in mild irritation.
Eye contact	Contact with eyes may result in mild irritation.
Ingestion	Ingestion is not a likely route of exposure.
Symptoms related to the physical, chemical and toxicological characteristics	Not available.

Information on toxicological effects

Acute toxicity	Based on available dat	a, the classification criteria are not met.
Product	Species	Test Results
CF280A-X-XC-XD-XF		
<u>Acute</u>		
LD50		> 2000 mg/kg
Skin corrosion/irritation	Based on available dat	a, the classification criteria are not met.
Serious eye damage/eye irritation	Based on available dat	a, the classification criteria are not met.
Respiratory or skin sensitization	1	
Respiratory sensitization	Based on available dat	a, the classification criteria are not met.
Skin sensitization	Based on available dat	a, the classification criteria are not met.
Germ cell mutagenicity		cate mutagenic potential (Ames Test: Salmonella typhimurium) a, the classification criteria are not met.
Carcinogenicity	Based on available dat	a, the classification criteria are not met.
IARC Monographs. Overall E	Evaluation of Carcinoge	enicity
Amorphous silica (CAS 76 OSHA Specifically Regulated	,	3 Not classifiable as to carcinogenicity to humans. 1910.1001-1053)
Not listed.		
US. National Toxicology Pro Not listed.	gram (NTP) Report on	Carcinogens
Reproductive toxicity	Based on available dat	a, the classification criteria are not met.
Specific target organ toxicity - single exposure	Based on available dat	a, the classification criteria are not met.
Specific target organ toxicity - repeated exposure	Based on available dat	a, the classification criteria are not met.
Aspiration hazard	Based on available dat	a, the classification criteria are not met.
Further information		are not available for this specific formulation otential health effects and Section 4 for first aid measures.

12. Ecological information

Ecotoxicity	LL50: > 1000	mg/I, Fish, 96.00 Hours	
Product		Species	Test Results
CF280A-X-XC-XD-XF			
Aquatic			
Algae	ErL50	Algae	> 1000 mg/l, 72 Hours
Crustacea	EL50	Crustacea	> 1000 mg/l, 48 Hours
Fish	LL50	Fish	> 1000 mg/l, 96 Hours
Persistence and degradability	Not available.		
Bioaccumulative potential	Not available.		
Mobility in soil	Not available.		

13. Disposal considerations

```
Disposal instructions
```

Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal, state, and local regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit http://www.hp.com/recycle.

14. Transport information

DOT

DOT	
UN number	Not available.
UN proper shipping name	Not Regulated
Transport hazard class(es)	
Class	Not available.
Subsidiary risk	-
Packing group	Not available.
Environmental hazards	
Marine pollutant	No
Special precautions for user	Not available.
ΙΑΤΑ	
UN number	UN2807
UN proper shipping name	Magnetized Material
Transport hazard class(es)	
Class	9 Magnetized Material
Subsidiary risk	-
Packing group	Not available.
Environmental hazards	No
Special precautions for user	Not available.
IMDG	
UN number	Not available.
UN proper shipping name	Not Regulated
Transport hazard class(es)	
Class	Not available.
Subsidiary risk	-
Packing group	Not available.
Transport hazard class(es)	
Marine pollutant	No
EmS	Not available.
Special precautions for user	Not available.
ADR	
UN number	Not available.
UN proper shipping name	Not regulated
Transport hazard class(es)	
Class	Not available.
Subsidiary risk	-
Hazard No. (ADR)	Not available.
Tunnel restriction code	Not available.
Packing group	Not available.
Environmental hazards	No.
Special precautions for user	Not available.
Further information	88 or more of these cartridges shipped together in a single package (e.g., box, container), by air, are regulated as a magnetized material. These requirements do not apply to single or dual pack cartridges contained in an original HP package and shrink wrapped on a pallet for shipment by air

15. Regulatory information

US federal regulations

US EPA TSCA Inventory: All chemical substances in this product comply with all rules or orders under TSCA.

Toxic Substances Control Act (TSCA)

TSCA Section 12(b) Exp	ort Notification (40 CFR 707, Subpt. D)			
Not regulated.				
CERCLA Hazardous Substance List (40 CFR 302.4)				
Not listed.				
SARA 304 Emergency releas	se notification			
Not regulated.	d Substances (29 CFR 1910.1001-1053)			
Not listed.	3 Substances (29 CH (1910.1001-1033)			
Superfund Amendments and Rea	authorization Act of 1986 (SARA)			
SARA 302 Extremely hazard	ous substance			
Not listed.				
SARA 311/312 Hazardous chemical	No			
Other federal regulations				
Clean Air Act (CAA) Section	112 Hazardous Air Pollutants (HAPs) List			
No intentionally added HA				
	112(r) Accidental Release Prevention (40 CFR 68.130)			
Not regulated.	N			
Safe Drinking Water Act (SDWA)	Not regulated.			
US state regulations	Not applicable.			
Regulatory information	All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.			
16. Other information, incl	uding date of preparation or last revision			
Issue date	16-Apr-2015			
Revision date	31-Aug-2021			
Version #	13			
Other information	This SDS was prepared in accordance with USA OSHA Hazard Communications regulation (29 CFR 1910.1200).			
Disclaimer	This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.			
Revision information	This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs. 14. Transport Information: Material Transportation Information			
	Transport information: Further information			

Explanation of abbreviations

ACGIH	American Conference of Governmental Industrial Hygienists
CAS	Chemical Abstracts Service
CERCLA	Comprehensive Environmental Response Compensation and Liability Act
CFR	Code of Federal Regulations
COC	Cleveland Open Cup
DOT	Department of Transportation
EPCRA	Emergency Planning and Community Right-to-Know Act (aka SARA)
IARC	International Agency for Research on Cancer
NIOSH	National Institute for Occupational Safety and Health
NTP	National Toxicology Program
OSHA	Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
RCRA	Resource Conservation and Recovery Act
REC	Recommended
REL	Recommended Exposure Limit
SARA	Superfund Amendments and Reauthorization Act of 1986
STEL	Short-Term Exposure Limit
TCLP	Toxicity Characteristics Leaching Procedure
TLV	Threshold Limit Value
TSCA	Toxic Substances Control Act
VOC	Volatile Organic Compounds