

SAFETY DATA SHEET

1. Identification	
Important information	*** This Safety Data Sheet is only authorised for use by HP for HP Original products. Any unauthorised use of this Safety Data Sheet is strictly prohibited and may result in legal action being taken by HP. ***
Product identifier	HP LaserJet CF258A-X-XC Print Cartridge
Other means of identification	None.
Recommended use	This product is a toner preparation that is used in HP LJ Pro M404, HP LJ Pro M405, HP LJ Pro M304, HP LJ Pro M305, HP LJ Pro MFP M329, HP LJ Enterprise M406, HP LJ Enterprise M407, HP LJ Enterprise MFP M430 and HP LJ Enterprise MFP M431 series printers.
Recommended restrictions	None known.
Manufacturer/Importer/Supplier	/Distributor information
	HP Inc.
	1501 Page Mill Road
	Palo Alto, CA 94304-1112
	United States
Telephone	650-857-1501
HP Inc. health effects line	
(Toll-free within the US)	1-800-457-4209
(Direct)	1-760-710-0048
HP Inc. Customer Care	
Line	1 900 474 6926
(Toll-free within the US)	1-800-474-6836 1-208-323-2551
(Direct) Email:	hpcustomer.inquiries@hp.com
2. Hazard(s) identification	1
Physical hazards	Not classified.
Health hazards	Not classified.
Environmental hazards	Not classified.
OSHA defined hazards	Not classified.
Label elements	
Hazard symbol	None.
Signal word	None.
Hazard statement	Not available.
Precautionary statement	
Prevention	Not available.
Response	Not available.
Storage	Not available.
Disposal	Not available.
Hazard(s) not otherwise classified (HNOC)	None of the other ingredients in this preparation are classified as carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA.
Supplemental information	This product is not classified as hazardous according to OSHA CFR 1910.1200 (HazCom 2012).

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Styrene acrylate copolymer		Trade Secret	<50

Chemical name	Common name and synonyms	CAS number	%
Iron oxide		1317-61-9	<45
Wax	Wax	Proprietary	<15
Amorphous silica	Amorphous silica	7631-86-9	<2
4. First-aid measures			
Inhalation	Move person to fresh air immediately. If irrita	tion persists, consult a physicial	n.
Skin contact	Wash affected areas thoroughly with mild so develops or persists.	ap and water. Get medical atter	tion if irritation
Eye contact	Do not rub eyes. Immediately flush with large least 15 minutes or until particles are remove		
Ingestion	Rinse mouth out with water. Drink one to two physician.	glasses of water. If symptoms	occur, consult a
Most important symptoms/effects, acute and delayed	Not available.		
5. Fire-fighting measures			
Suitable extinguishing media	CO2, water, or dry chemical		
Unsuitable extinguishing media	None known.		
Specific hazards arising from the chemical	Like most organic material in powder form, to dispersed in air.	oner can form explosive dust-air	mixtures when finely
Special protective equipment and precautions for firefighters	Not available.		
Fire fighting equipment/instructions	If fire occurs in the printer, treat as an electrical fire.		
Specific methods	None established.		
6. Accidental release meas	sures		
Personal precautions, protective equipment and emergency procedures	Minimize dust generation and accumulation.		
Methods and materials for containment and cleaning up	Slowly vacuum or sweep the material into a bag or other sealed container. Clean remainder v damp cloth or vacuum cleaner. If a vacuum is used, the motor must be rated as dust explosion-proof. Fine powder can form explosive dust-air mixtures. Dispose of in compliance federal, state, and local regulations.		as dust
Environmental precautions	Do not flush into surface water or sanitary sewer system. See also section 13 Disposal considerations.		3 Disposal
7. Handling and storage			
Precautions for safe handling	Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. adequate ventilation. Keep away from excessive heat, sparks, and open flames.		
Conditions for safe storage, including any incompatibilities	Keep out of the reach of children. Keep tightly closed and dry. Store at room temperature. S away from strong oxidizers.		temperature. Store
8. Exposure controls/pers	onal protection		
Occupational exposure limits			
US. NIOSH: Pocket Guide to Components	Chemical Hazards Type	Value	
Amorphous silica (CAS 7631-86-9)	TWA	6 mg/m3	
*			

Exposure guidelines USA OSHA (TWA/PEL): 15 mg/m3 (Total Dust), 5 mg/m3 (Respirable Fraction)		
	ACGIH (TWA/TLV): 10 mg/m3 (Inhalable Particulate), 3 mg/m3 (Respirable Particulate)	
	Amorphous silica: USA OSHA (TWA/PEL): 20 mppcf 80 (mg/m3)/%SiO2, ACGIH (TWA/TLV): 10 mg/m3	
	TRGS 900 (Luftgrenzwert) - 10 mg/m3 (Einatembare partikel), 3 mg/m3 (Alveolengängige fraktion)	
Appropriate engineering controls	Use in a well ventilated area.	
Individual protection measures,	such as personal protective equipment	
Eye/face protection Not available.		
Skin protection		
Hand protection	Not available.	
Other	Not available.	
Respiratory protection	Not available.	
Thermal hazards	Not available.	
9. Physical and chemical	properties	
Appearance	Fine powder	
Physical state	Solid.	
Form	solid	
Color	Black.	

Upper/lower flammability	or explosive limits

Odor

pН

range Flash point

Odor threshold

Evaporation rate

Melting point/freezing point

Initial boiling point and boiling

	•	•••
Flammability (solid, gas)		Not available.
Upper/lower flammability or explosive limits		
	Flammability limit - lower (%)	Not available.
	Flammability limit - upper (%)	Not available.
	Explosive limit - lower (%)	Not available.
	Explosive limit - upper (%)	Not available.
Va	por pressure	Not applicable
Vapor density		Not applicable
Solubility(ies)		
	Solubility (water)	Negligible in water. Partially soluble in toluene and xylene.
	rtition coefficient octanol/water)	Not available.
Au	to-ignition temperature	Not available
De	composition temperature	> 392 °F (> 200 °C)
Vis	scosity	Not applicable
Ot	her information	
	Oxidizing properties	No information available.
	Softening point	194 - 284 °F (90 - 140 °C)
	Specific gravity	1.4 - 1.8
	VOC	Not applicable

Slight plastic odor

Not available. Not applicable

Not available.

Not applicable

Not applicable

Not applicable

10. Stability and reactivity

Reactivity	Not available.
Chemical stability	Stable under normal storage conditions.
Possibility of hazardous reactions	Will not occur.
Conditions to avoid	Imaging Drum: Exposure to light
Incompatible materials	Strong oxidizers
Hazardous decomposition products	Carbon monoxide and carbon dioxide.

11. Toxicological information

Information on likely routes of exposure

	Refer to Section 2 for potential health effects		
Further information	Complete toxicity data are not available for t		
Aspiration hazard	Based on available data, the classification c	riteria are not met.	
Specific target organ toxicity - repeated exposure	Based on available data, the classification c	riteria are not met.	
Specific target organ toxicity - single exposure	Based on available data, the classification c	riteria are not met.	
Reproductive toxicity	Based on available data, the classification c		
Not listed.	gram (NTP) Report on Carcinogens		
Not listed.			
OSHA Specifically Regulate	d Substances (29 CFR 1910.1001-1053)		
Not listed.			
• •	Evaluation of Carcinogenicity		
Carcinogenicity	Based on available data, the classification c		
Germ cell mutagenicity	Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium) Based on available data, the classification criteria are not met.		
Skin sensitization	Based on available data, the classification criteria are not met.		
Respiratory sensitization	Based on available data, the classification criteria are not met.		
Respiratory or skin sensitization	I		
Serious eye damage/eye irritation	Based on available data, the classification c	ntena are not met.	
Skin corrosion/irritation	Based on available data, the classification c		
		> 2000 mg/kg	
<u>Acute</u> LD50		> 2000 ma/ka	
CF258A-X-XC			
Product	Species	Test Results	
Acute toxicity	Based on available data, the classification c		
Information on toxicological effe	ects		
Symptoms related to the physical, chemical and toxicological characteristics	Not available.		
Ingestion	Ingestion is not a likely route of exposure.		
Eye contact	Contact with eyes may result in mild irritation.		
Skin contact	Contact with skin may result in mild irritation.		

12. Ecological information

Ecotoxicity

LL50: > 1000 mg/l, Fish, 96.00 Hours

Product		Species	Test Results
CF258A-X-XC			
Aquatic			
Algae	ErL50	Algae	> 1000 mg/l, 72 Hours
Crustacea	EL50	Crustacea	> 1000 mg/l, 48 Hours
Fish	LL50	Fish	> 1000 mg/l, 96 Hours
ersistence and degradability	Not available.		
ioaccumulative potential	Not available.		
obility in soil	Not available.		
ther adverse effects	Not available.		

13. Disposal considerations

Disposal instructions

Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal, state, and local regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit http://www.hp.com/recycle.

14. Transport information

DOT

DOT	
UN number	Not available.
UN proper shipping name	Not Regulated
Transport hazard class(es)	
Class	Not available.
Subsidiary risk	-
Packing group	Not available.
Environmental hazards	
Marine pollutant	No
Special precautions for user	Not available.
ΙΑΤΑ	
UN number	UN2807
UN proper shipping name	Magnetized Material
Transport hazard class(es)	
Class	9 Magnetized Material
Subsidiary risk	-
Packing group	Not available.
Environmental hazards	No
Special precautions for user	Not available.
IMDG	
UN number	Not available.
UN proper shipping name	Not Regulated
Transport hazard class(es)	
Class	Not available.
Subsidiary risk	-
Packing group	Not available.
Transport hazard class(es)	
Marine pollutant	No
EmS	Not available.
Special precautions for user	Not available.
ADR	
UN number	Not available.
UN proper shipping name	Not regulated
Transport hazard class(es)	
Class	Not available.
Subsidiary risk	-
Hazard No. (ADR)	Not available.
Tunnel restriction code	Not available.

Packing group	Not available.	
Environmental hazards	No.	
Special precautions for user		
Further information	27 or more of these cartridges shipped together in a single package (e.g., box, container), by air, are regulated as a magnetized material. These requirements do not apply to single or dual pack cartridges contained in an original HP package and shrink wrapped on a pallet for shipment by air	
15. Regulatory information	1	
US federal regulations	US EPA TSCA Inventory: All chemical substances in this product comply with all rules or orders under TSCA.	
Toxic Substances Control A	ct (TSCA)	
TSCA Section 12(b) Expo Not regulated.	ort Notification (40 CFR 707, Subpt. D)	
CERCLA Hazardous Substar	nce List (40 CFR 302.4)	
Not listed.		
SARA 304 Emergency releas	e notification	
Not regulated. OSHA Specifically Regulated Not listed.	d Substances (29 CFR 1910.1001-1053)	
Superfund Amendments and Rea SARA 302 Extremely hazard Not listed.	authorization Act of 1986 (SARA) ous substance	
SARA 311/312 Hazardous chemical	No	
Other federal regulations		
Clean Air Act (CAA) Section	112 Hazardous Air Pollutants (HAPs) List	
	P substances. 112(r) Accidental Release Prevention (40 CFR 68.130)	
Not regulated. Safe Drinking Water Act (SDWA)	Not regulated.	
US state regulations	Not applicable.	
Regulatory information	All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea New Zealand, and China.	
16. Other information, incl	uding date of preparation or last revision	
Issue date	21-May-2019	
Revision date	03-Sep-2021	
Version #	07	

 Version #
 07

 Other information
 This SDS was prepared in accordance with USA OSHA Hazard Communications regulation (29 CFR 1910.1200).

Disclaimer

This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs.

Explanation of abbreviations

ACGIH	American Conference of Governmental Industrial Hygienists
CAS	Chemical Abstracts Service
CERCLA	Comprehensive Environmental Response Compensation and Liability Act
CFR	Code of Federal Regulations
COC	Cleveland Open Cup
DOT	Department of Transportation
EPCRA	Emergency Planning and Community Right-to-Know Act (aka SARA)
IARC	International Agency for Research on Cancer
NIOSH	National Institute for Occupational Safety and Health
NTP	National Toxicology Program
OSHA	Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
RCRA	Resource Conservation and Recovery Act
REC	Recommended
REL	Recommended Exposure Limit
SARA	Superfund Amendments and Reauthorization Act of 1986
STEL	Short-Term Exposure Limit
TCLP	Toxicity Characteristics Leaching Procedure
TLV	Threshold Limit Value
TSCA	Toxic Substances Control Act
VOC	Volatile Organic Compounds