



## SAFETY DATA SHEET

Page : 1/9

Date Revised : Jan. 5, 2017

Date Issued : Oct. 8, 2014

SDS No. F-02531 (US\_EN)

---

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

---

**1.1 Product identifier** : MX-315NT

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

Use of the Substance/ Mixture : Reprographic agents (Black Toner)

**1.3 Details of the supplier of the safety data sheet**

Company / USA : SHARP Electronics Corporation

Address : 100 Paragon Drive, Montvale, New Jersey 07645-1779

Telephone number : +1-800-237-4277

Company / Canada : SHARP Electronics of Canada Ltd.

Address : 335 Britannia Road East, Mississauga, Ontario L4Z 1W9

Telephone number : +1-905-890-2100

**1.4 Emergency telephone number**

Telephone number : +1-800-255-3924 (USA, Canada only)

---

### SECTION 2: Hazards identification

---

**2.1 Classification of the substance or mixture**

**Classification (Hazard Communication Standard)**

Not Classified as hazardous

**2.2 Label elements**

**Labelling (accordance with paragraph (f) of §1910.1200)**

Hazard symbol : None

Signal word : None

Hazard statements : None

Precautionary statements : None

**2.3 Other hazards**

Potential dust explosion hazard.

**SECTION 3: Composition/information on ingredients****3.2 Mixtures****Components**

Chemical Name	CAS-No.	Classification (REGULATION (EC) No1272/2008)	IARC	Concentration (%)
Styrene-Acrylate copolymer	Confidential	Not Classified	None	80-90
Carbon Black	1333-86-4	Not Classified	2B	5-10
Iron oxide	1317-61-9	Not Classified	None	1-5
Polypropylene	Confidential	Not Classified	None	1-5
Polyethylene	Confidential	Not Classified	None	1-5
Charge control agent	Confidential	Not Classified	None	1-5
Amorphous silica	7631-86-9	Not Classified	None	0.1-1

**SECTION 4: First aid measures****4.1 Description of first aid measures**

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.

Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists.

If inhaled : If inhaled, remove to fresh air.  
If not breathing, give artificial respiration.  
If breathing is difficult, give oxygen.  
Get medical attention.

In case of skin contact : Remove contaminated clothing and shoes.  
Get medical attention if irritation develops and persists.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.

In case of eye contact : If in eyes, rinse well with water.  
Get medical attention if irritation develops and persists.

If swallowed : If swallowed, get medical attention.  
Rinse mouth thoroughly with water.

**4.2 Most important symptoms and effects, both acute and delayed**

Risks : Dust contact with the eyes can lead to mechanical irritation.

**4.3 Indication of any immediate medical attention and special treatment needed**

Treatment : Treat symptomatically and supportively.

---

**SECTION 5: Firefighting measures****5.1 Extinguishing media**

Suitable extinguishing media	: Water spray
	Alcohol-resistant foam
	Dry chemical
	Carbon dioxide (CO2)
Unsuitable extinguishing media	: High volume water jet

**5.2 Special hazards arising from the substance or mixture**

Specific hazards during firefighting	: Do not use a solid water stream as it may scatter and spread fire.
	Exposure to combustion products may be a hazard to health.
Hazardous combustion products	: Carbon oxides
	Nitrogen oxides (NOx)

**5.3 Advice for firefighters**

Special protective equipment for firefighters	: In the event of fire, wear self-contained breathing apparatus.
	Use personal protective equipment.
Specific extinguishing methods	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
	Use water spray to cool unopened containers.
	Remove undamaged containers from fire area if it is safe to do so.
	Evacuate area.

---

**SECTION 6: Accidental release measures****6.1 Personal precautions, protective equipment and emergency procedures**

Personal precautions : Use personal protective equipment.

Follow safe handling advice and personal protective equipment recommendations.

**6.2 Environmental precautions**

Environmental precautions : Discharge into the environment must be avoided.

Prevent further leakage or spillage if it is safe to do so.

Retain and dispose of contaminated water.

Local authorities should be advised if significant spillages cannot be contained.

**6.3 Methods and material for containment and cleaning up**

Methods for cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal.  
Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).  
Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

**6.4 Reference to other sections**

See sections: 7, 8, 11, 12 and 13.

---

**SECTION 7: Handling and storage**

---

**7.1 Precautions for safe handling**

Technical measures : Static electricity may accumulate and ignite suspended dust causing an explosion.  
Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.

Advice on safe handling : Do not breathe dust.  
Do not swallow.  
Avoid contact with eyes.  
Handle in accordance with good industrial hygiene and safety practice.  
Keep container tightly closed.  
Minimize dust generation and accumulation.  
Keep away from heat and sources of ignition.  
Take care to prevent spills, waste and minimize release to the environment.

Hygiene measures : When using do not eat, drink or smoke.  
Wash contaminated clothing before re-use.

**7.2 Conditions for safe storage, including any incompatibilities**

Requirements for storage : Keep tightly closed. Keep in a cool, well-ventilated place.

areas and containers : Be stored in accordance with the particular national regulations.

Advice on common storage : Do not be stored together with the following product types:

- Strong oxidizing agents
- Organic peroxides
- Explosives
- Gases

**7.3 Specific end use(s)**

Specific use(s) : No data available

**SECTION 8: Exposure controls/personal protection****8.1 Control parameters****Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Amorphous silica	7631-86-9	TWA	80 mg/m3/ (%SiO2)	OSHA PEL
		TWA	3 mg/m3	ACGIH TLV
Carbon black	1333-86-4	TWA	3.5 mg/m3	OSHA PEL
		TWA(Inhalable)	3 mg/m3	ACGIH TLV

**8.2 Exposure controls****Engineering measures**

Minimize workplace exposure concentrations.

Apply measures to prevent dust explosions.

**Personal protective equipment**

Eye protection : Not required under intended use

Hand protection : Not required under intended use

Skin and body protection : Not required under intended use

Respiratory protection : Not required under intended use

**SECTION 9: Physical and chemical properties****9.1 Information on basic physical and chemical properties**

Appearance : powder

Color : black

Odor : odorless

Odor Threshold : No data available

pH : No data available

Melting point/freezing point : 100 - 130 °C

---

Initial boiling point and boiling range	:	No data available
Flash point	:	Not applicable
Evaporation rate	:	Not applicable
Flammability (solid, gas)	:	Not classified as a flammability hazard
Upper explosion limit	:	No data available
Lower explosion limit	:	No data available
Vapor pressure	:	Not applicable
Relative Vapor density	:	Not applicable
Density	:	ca. 1.1 g/cm <sup>3</sup>
Bulk density	:	ca. 0.35 g/cm <sup>3</sup>
Solubility(ies) Water solubility	:	negligible
Partition coefficient: n-octanol/water	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity		
Viscosity, dynamic	:	Not applicable
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.

**9.2 Other information**

No data available

---

**SECTION 10: Stability and reactivity****10.1 Reactivity**

Not classified as a reactivity hazard.

**10.2 Chemical stability**

Stable under normal conditions.

**10.3 Possibility of hazardous reactions**

Hazardous reactions : Dust can form an explosive mixture in the air.  
Can react with strong oxidizing agents.

**10.4 Conditions to avoid**

Conditions to avoid : None known.

**10.5 Incompatible materials**

Materials to avoid : Oxidizing agents

**10.6 Hazardous decomposition products**

No hazardous decomposition products are known.

**SECTION 11: Toxicological information****11.1 Information on toxicological effects**

Information on likely routes of exposure : Inhalation  
Skin contact  
Ingestion  
Eye contact

**Acute Toxicity**

Ingestion(oral) : LD<sub>50</sub> > 2000mg/kg (Rats)  
Inhalation : LC<sub>50</sub> > 5.0mg/L  
Eye irritation : Not an irritant (Rabbits)  
Skin irritation : Not an irritant (Rabbits)  
Skin sensitizer : No sensitization

**Mutagenicity** : Negative (Ames Test)

**Carcinogenicity** : In 1996 the IARC reevaluated carbon black as a Group 2B carcinogen (possible human carcinogen). This classification is given to chemicals for which there is inadequate human evidence, but sufficient animal evidence on which to base an opinion of carcinogenicity. The classification is based upon the development of lung tumors in rats receiving chronic inhalation exposures to free carbon black at levels that induce particle overload of the lung. Studies performed in animal models other than rats did not show any association between carbon black and lung tumors. Moreover, a two-year cancer bioassay using a typical toner preparation containing carbon black demonstrated no association between toner exposure and tumor development in rats.

**Chronic Effect** : In a study in rats of chronic inhalation exposure to a typical toner, a mild to moderate degree of lung fibrosis was observed in 92% of the rats in the high concentration (16mg/m<sup>3</sup>) exposure group, and a minimal to mild degree of fibrosis was noted in 22% of the animals in the middle (4mg/m<sup>3</sup>) exposure group, but no pulmonary change was reported in the lowest (1mg/m<sup>3</sup>) exposure group, the most relevant level to potential human exposures.

---

**SECTION 12: Ecological information**

---

**12.1 Ecotoxicity**

On available data, toner is not harmful to aquatic organisms

**12.2 Persistence and degradability**

No data available

**12.3 Bioaccumulative potential**

No data available

**12.4 Mobility in soil**

No data available

**12.5 Other adverse effects**

No data available

---

**SECTION 13: Disposal considerations**

---

**13.1 Waste treatment methods**

Product : Dispose of it in accordance with local regulations.  
Contaminated packaging : Dispose of it as an unused product.  
Empty containers should be taken to an approved waste handling site for recycling or disposal.

---

**SECTION 14: Transport information**

---

14.1 UN number : None  
14.2 UN proper shipping name : None  
14.3 Transport hazard class(es) : None  
14.4 Packing group : None  
14.5 Environmental hazards : None  
14.6 Special precautions for user : Not applicable

**14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Remarks : Not applicable for product as supplied.

---

**SECTION 15: Regulatory information**

---

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

TSCA (Toxic Substances Control Act) :

All chemical substances in this product comply with all applicable rules or order under TSCA.

WHMIS Legislation (Canada) :

This product is not a controlled product.

---

**SECTION 16: Other information**

---

**Full text of other abbreviations**

ACGIH	: American Conference of Governmental Industrial Hygienists
IARC	: International Agency for Research on Cancer
OSHA	: Occupational Safety and Health Administration
PEL	: Permissible Exposure Limit
TLV	: Threshold Limit Value
TWA	: Time Weighted Average

**Further information**

Sources of key data used to compile the Safety Data Sheet:

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

IARC (1996): IARC monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Humans, Vol.65, Printing Process and Printing Inks, Carbon Black and Some Nitro Compounds, Lyon, pp.149-261  
H.Muhle, B.Bellman, O.Creutzenberg, C.Dasenbrock, H.Emst, R.Kilpper, J.C.MacKenzie, P.Morrow, U.Mohr, S.Takenaka and R.Mermelstein(1991) Pulmonary Response to Toner upon Chronic Inhalation Exposure in Rats. Fundamental and Applied Toxicology 17, pp.280-299.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

Date Issued : Oct. 8, 2014

Date Revised : Jan. 5, 2017